


**DELHI POLLUTION CONTROL COMMITTEE**  
**5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06**  
**(visit us at : <http://dpcc.delhigovt.nic.in>)**

F. No. DPCC/Committee II(b) Category/32<sup>nd</sup> Meeting /2021/ 21876-880 Dated: 29/01/2021

**Subject: Minutes of the 32<sup>nd</sup> Meeting of the Committee for II(b) Category Cases** constituted vide Office Order Dated 31.05.2017 & headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization/Registration under the relevant Rules, held on **27.01.2021** in the conference room of DPCC, 5<sup>th</sup> Floor, ISBT Building, Kashmere Gate, Delhi-110006.

Please find enclosed herewith the Minutes of the 32<sup>nd</sup> Meeting of the aforementioned Committee, held on **27.01.2021** in the conference room of DPCC, 5<sup>th</sup> Floor, ISBT Building, Kashmere Gate, Delhi-110006.


All concerned are required to take necessary action as per the decisions taken by the Committee and submit the compliance report to MS, DPCC through Incharge, CMC-V.

  
**(Satender Kumar)**  
**Incharge, CMC-V**

1. Member Secretary, DPCC.
2. Incharges /SEEs (CMC I/II/III/IV/V/VI/VII).
3. EEs/AEES (CMC I/II/III/IV/V/VI/VII).

**Copy for information to:**

1. PS to Chairman, DPCC, for kind information of Chairman, DPCC please.
- ✓ 2. SEE (IT) Cell: to take immediate necessary action w.r.t. decisions taken in the said minutes and also upload the aforementioned minutes of the meeting of the Committee on the website of DPCC.

  
**(Satender Kumar)**  
**Incharge, CMC-V**

**Minutes of the 32<sup>nd</sup> Meeting of the Committee for II(b) Category Cases**  
**held on 27.01.2021**

Attendance Sheet for meeting on 27.01.2021 is enclosed as Annexure - A.

Following are the minutes of the meeting along with the decisions taken:-

**Agenda Item No 1: All Complete pending cases from 01.04.2020 to 26.01.2021**

The cases of this agenda were decided online. If any Consent to Establish / Consent to Operate application (s) (for the activity generating hazardous waste / generating trade effluent discharge) has been granted by the Committee inadvertently, the said decision is reviewed and the consent application shall be kept in abeyance till the comprehensive opinion from Senior Counsel of DPCC is received.

Two units namely M/s Pawan Kumar, Delhi Jal Board, 318 MLD WWTP, Coronation Pilloar Project, Burari near to Majlis Park Metro Station, Arihant Marg New Delhi applied for Consent to Operate on 13.07.2019 for the activity of RMC Plants and (ii) M/s .R.R. Construction Co. Delhi Jal Board, 318 MLD WWTP, Coronation Pillar Project, Burari near to Majlis Park Metro Station, Arihant Marg, New Delhi-110009 applied for Consent to Operate on 13.07.2019 for the activity of RMC Plants.

Both the cases were put up administratively and it was decided to issue Consent to Operate and the decisions be ratified by the committee in its meeting and accordingly the decision is hereby ratified.

Apart from the above, the cases, which have already been considered by the committee and again placed before the Committee for decision, were also decided by the committee individually. This practice has taken a lot of time. The problem was already informed to the IT Cell but the appropriate provisions have not been made so far.

*(Handwritten signatures and initials)*

Chairman of the committee has shown his displeasure and directed to IT Cell to get the software amended to remove this anomaly. SEE, IT is required to take up this issue with NIC on priority and get the same resolved on priority so that such type of cases will be considered in next II(b) Committee.

During the meeting, the following decisions were also taken in the meeting:-
















- (i) The issue of operation of OLMS and their operational efficacy was discussed and MS has desired that all the OLMS are to be calibrated to get accurate results comparable to manual testing. All the CMCs are required to issue Show Cause Notice (SCNs) to all the units which have installed OLMS go the same calibrated as per the protocols and guidelines of CPCB through their vendors. The unit which are liable to install OLMS are to be directed as per the 59<sup>th</sup> DPCC Board decision.
- (ii) In view of District Management Plan, the issue of e-waste management in Delhi was also discussed and MS has directed WMC-III to compile the list of Producer Responsibility Organization (PROs) in NCT of Delhi and seek compliance status w.r.t. the terms and conditions stipulated by CPCB. Necessary action be taken against the defaulters PROs in consultation with CPCB.
- (iii) It is learnt that inspite of decisions taken in the meeting, all the decided cases remains pending. Chairman of the Committee has directed all CMCs engineers to implement the decisions of the Committee w.r.t. grant of consent without waiting for the minutes and the same will be issued within 03 days.
- (iv) It was apprised to the Chairman of the Committee that some RMCs cases have been issued Consent to Establish / Consent to Operate inspite of directions for closure and show cause notice for Environmental Compensation (EC) were issued. Committee deliberated the issue and it was decided that Consent to Establish / Consent to Operate / Consent to Operate (Renewal) be issued after finalization of earlier decision taken w.r.t. directions for closure / show cause notice including show cause notice for Environmental Compensation(EC).

*[Handwritten signatures and initials]*

- (v) In case where Consent to Operate (Renewal) has been granted, authorization under HWM Rules be kept in abeyance in view of directions of CPCB in certain types of wastes generated.
- (vi) During the meeting, it was decided to issue registration under Plastic Waste Management Rules, 2016 after issuance of Consent to Operate/Consent to Operate (Renewal) if the documents are found in order.
- (vii) It was observed that in most of the cases, checklist was not prepared properly and concerned Cell did not provide its recommendations. Chairman of the Committee directed that the concerned Cell will prepare checklist and give proper recommendations.
- (viii) All CMCs are directed to check each and every documents including required consent fee before issuing the consent to establish and consent to operate.

All the decisions taken in the meeting shall be implemented without waiting for the minutes.

The meeting ended with a vote of thanks to the Chair.

 (Dr. K.S. Jayachandran) Member Secretary, DPCC	 (Ms. Ajeeta Aggarwal) SEE, CMC-II	 (Dr. BMS Reddy) SEE, CMC-IV	 (Md. Arif) SEE, III & VII	 (P.S. Pankaj) SEE, CMC-I
 (Dr. Anwar Ali Khan) SEE, CMC-VI	 (Satender Kumar) SEE, CMC-V	 (N.K. Joshi) SEE, CMC-II	 (M.S. Rawat) SEE, CMC-V	 (Sanjay Vatts) SEE, CMC-VI
 (Dr. S Gautam) EE, CMC-I	 (Sunil Kumar) EE, CMC-IV	 (V.K. Jain) EE, CMC-V	 (K. Kumar) EE, CMC-VII	 (M.I. Siddiqui) AEE, CMC-I