	<p><b>DELHI POLLUTION CONTROL COMMITTEE</b> DEPARTMENT OF ENVIRONMENT, GOVT. OF DELHI 4<sup>TH</sup> &amp; 5<sup>TH</sup> FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-6 Visit us at : <a href="http://dpcc.delhigovt.nic.in">http:// dpcc.delhigovt.nic.in</a></p>
---	---

F. No. DPCC/WMC-I/2022/26610 to 26614

Dated: 10/08/2022

**SUB:-MINUTES OF THE MEETING OF THE BMW COMMITTEE NO-2 HELD ON 04.08.2022**

Please find enclosed herewith Minutes of the Meeting of BMW Committee No-2 headed by Member Secretary, DPCC for deciding application for grant of Authorization under BMW Rules & other Rules and CTE/CTO under Air & Water Act held on 04.08.2022 in the chamber of Conference Room of Department of Environment, GNCTD, DPCC 6<sup>th</sup> Level, C-Wing, Delhi Secretariat, I.P Estate, New Delhi-110002



**(D.K. SRIVASTAVA)**  
ASSTT. ENV. ENGINEER, WMC-I

To:

1. Member Secretary, DPCC
2. Medical Superintendent, Aruna Asaf Ali Hospital, 5, Rajpur Road, Police Lines, Civil Lines, New Delhi-110054.
3. All EE/AEE/JEE of WMC-I, DPCC
4. PS to Chairman, DPCC : for kind information of the Chairman, please
5. SEE (IT), for uploading minutes of meeting of DPCC website.








**DELHI POLLUTION CONTROL COMMITTEE**

**ATTENDANCE SHEET**

Dated 04.08.2022

Time: 2:00 PM

Sub:-BMW Committee no-2, meeting headed by Member Secretary, DPCC held on 04.08.2022 at 2:00 P.M. at Conference Room, Department of Environment GNCTD, 6<sup>th</sup> Level, C-Wing, Delhi Secretariat, IP Estate, New Delhi-110002

S. NO.	NAME OF THE OFFICER AND DESIGNATION	DEPARTMENT	EMAIL ID IN AND MOBILE NUMBER	SIGNATURE
1.	Shri. K.S. Jayachandran, M.S.(DPCC)			IN THE CHAIR
2.	Dr. Sunita Meena, MS from Aruna Asaf Ali Hospital, Delhi			
3.	P.S.Pankaj, (Incharge,WMC-I), DPCC			
4.	R.K. Sharma, (Env. Engineer), DPCC			
5.	D.K. Srivastava, (Asstt. Env. Engineer), DPCC			
6.	Dr. Sunita Meena M.S.	AAAH		
7.	A. Rajesh Bansal. DMS	AAAH	rajeshbansal@gnctd.gov.in	
8.	Mrs. Malvi Subharna D.P.C.	AAAH	malvisubharna@gmail.com	
9.	Naresh Kumar Meena, Jr. Env. Engineer, DPCC	DPCC		

**Minutes of the meeting of BMW committee-II held on 04.08.2022 headed by Member Secretary DPCC at 2 pm in the conference room of DPCC**

- I. Member Secretary DPCC welcomed all the members. List of members is enclosed.
- II. Following decisions were taken.
  - a) It was brought to the notice of the committee that a large no. of Health Care Facilities Establishment administered by government departments are non-compliant w.r.t the provisions of Biomedical Waste Management Rules, 2016, Water Act, 1974 & Air Act, 1981. It was decided that a letter along with list of non-compliant HCFs shall be sent to the head of such departments with the request to direct the concerned officials of their department responsible for management of biomedical waste & other compliances under Air Act & Water Act to adhere to the norms to be followed and to submit timely compliance in DPCC.
  - b) The committee was informed that many HCFs are not depositing Environmental Compensation (EC) charges imposed for the violation. Chairman of the committee directed that in all such cases, recovery letter be issued to the concerned DM for recovery of EC charges.
- III. The decision taken in respect of 51 individual HCFs is enclosed as Annexure A.
- IV. The Chairman directed that to reduce the pendency the frequency of the meeting should be enhanced at-least once in a month.

Dr K.S. Jaychandran  
(Member Secretary, DPCC)  
Chairman

Dr. Sunita Meena  
(MS, Aruna Asaf Ali Hospital)  
Member

P.S. Pankaj  
(SEE, WMC-I)  
Member

R.K. Sharma  
(EE, DPCC)  
Member

D.K. Srivastava  
(AEE, DPCC)  
Member

Naresh Kr. Meena  
(JEE, DPCC)  
Member

S.No.	Name of Healthcare Establishment	Address	No. of Beds	CTE Status	CTO Status	Authorization Status	Barcoding Implemented	STP (KLD)	Decision taken in the meeting held on 22.07.2020	ATR	DECISION
1	Charak Palika Hospital	Moti Bagh, New Delhi-110021	150	Granted	Expired on 19-06-2018 /applied for renewal on 20.01.2020	Expired on 14/06/19/ applied for renewal on 19.09.2019	Yes	125 KLD	The HCF be asked to deposit EC of Rs. 2,40,000/- , Noise Monitoring Report of D.G Sets and Effluent Test Report from approved lab and provide the details of water consumptoin, waste water discharge, D.G set etc., If HCF submit the same and found in order CTO and authroization be issued subject to implementation of bar coding system.	A letter was issued to the HCF on 25.08.2020 to submit the Noise Monitoring Report of D.G Sets, Effluent Test Report from approved lab, provide the details of water consumptoin, waste water discharge, D.G set etc. and deposit EC of Rs. 2,40,000/-. No response has been received from the HCF within the stipulated time. Now a reply recieved from the HCF through e-mail dated 19.07.2022 along with copy of letter dated 04.08.2020, speed post receipt dated 09.09.2020, copy of letter dated 08.04.2020, Cummins Field Survey Report of DG sets, copy of effluent analysis report dated 10.07.2019 and 30.10.2019 (incomplete parameters) and copy of letter dated 04.08.2020 issued to Polestar Infosystem regarding implementation of barcoding. The HCF has requested to waive off the EC charges vide its letter dated 08.09.2020 being a Govt. HCF.	Recovery letter be issued to concerned DM for the recovery of EC charges. SCN for refusal of CTO & authorization be issued.
2	N.C. JOSHI HOSPITAL	KAROL BAGH NEW DELHI 110008	100/60	Granted	Applied on 16.07.2021	Applied for renewal on 11.02.2020.	Yes	100 KLD	If HCF submits CTO and satisfactory reply with noise monitoring report of remaining 2 D.G sets, authorization be granted.	A letter was issued to the HCF on 21.08.2020 to apply for CTO & submit the NMR of the remaning 2 D.G. sets of 62.5 KVA & 125 KVA capacity. The HCF applied for CTO for 60 beds on 16.07.2021 along with NMR of 1 D.G. set of 125 KVA (mentioning that D.G. set of 62.5 KVA is not in use.) & effluent analysis report of STP without bio-assay test. Earlier the HCF has obtained CTE & authorization for 100 beds & also applied for the same no. of beds which was also reported during inspection on 30.08.2018. Now the HCF has submitted a letter on 25.02.2022 & informed that 100 bed was proposed but due to space constraint only 60 beds are operational.	The HCF be asked to submit fresh effluent analysis report of STP for all the parameters from approved lab of DPCC & submit an undertaking regarding status of existing DG. sets i.e no. & their operational status. If the HCF submits the same & found in order, CTO & Authorization for 60 beds be granted.
3	Palika Maternity Hospital	Lodhi Road, New Delhi	65	Granted	Applied on 31.01.2020	Applied for renewal on 12.06.2019 without NMR	No	35 KLD	The HCF be asked to submit Noise Monitoring Report of D.G Set and provide details of water consumptoin, waste water discharge, source of water, D.G set etc. If HCF submits the aforesaid information and the same is found in order, CTO be issued. Authorisation under BMW Rules 2016 be issued after implementation of bar coding system.	A letter was issued on 25.08.2020 to submit Noise Monitoring Report of D.G Set and provide details of water consumptoin, waste water discharge, source of water, D.G set etc. and status of implementation of barcoding system. No response has been received from the HCF.	SCN for refusal of CTO & authorization be issued.

(K.S. Jayachandran)  
Chairman

(Dr. Sunita Meena,) MS, Aruna Asaf Ali Hospital

(P.S. Panjra), Incharge, WMC-I Member

(R.K. Sharma), Env. Engineer Member

(D.K. Srivastava), AEE Member


(Naresh Kumar Meena), JEE Member

4	DR. SUNDER LAL MEMORIAL HOSPITAL	C-201, JAWAHAR PARK, DEVL ROAD, DELHI-110062	16/55	Applied on 17.03.2020	APPLIED ON 07.07.2020	APPLIED ON 18.03.2020	No	20 KLD	<p>1. Issue direction for imposing environmental compensation due to non implementation of bar coding system.</p> <p>2. The HCF be asked to submit proper project report mentioning details of proposed pollution control measures i.e. STP etc. to be taken by the HCF and also submit proof of implementation of Bar Coding.</p> <p>If HCF submits the same, CTE, CTO and authorization be granted.</p>	<p>Directions u/s 5 of EPA were issued on 25.08.2020 for depositionin of environmental compensation charges of Rs. 1,10,400/- due to non implementation of bar coding system. A letter was also issued on 25.08.2020 to submit proper project report mentioning details of proposed pollution control measures i.e. STP etc. to be taken by the HCF and proof of implementation of Bar Coding. The HCF has submitted on 03.09.2020 informing that at present they are having DGHS registration for 16 beds &amp; operating only 16 bedded hospitals and have an agreement with M/s. Jiyyo Innovations Pvt. Ltd. for barcoding w.e.f 27.01.2020 to 26.01.2021. However later on the HCF has entered into another agreemnt with M/s. Polestar Infosystem on 25.07.2020 for full commitment of barcoding system &amp; requested to waive of the environmental compensation charges of Rs. 1,10,400/- because our hospital does not come under the ambit of implementing the barcoding system being a 16 bedded hospital. The HCF has also submitted fresh project report mentioning details of proposed pollution control measures i.e. STP of 20 KLD vide its letter dated 03.09.2020.</p>	<p>CTE, CTO &amp; Authorization for 55 beds be granted. Recovery Letter for EC charges be also issued to concerned DM.</p>
5	DIVINE MULTISPECILATY HOSPITAL AND CANCER CENTRE	102/2, MAIN JAGATPUR ROAD, STREET NO-14, WAZIRABAD, DELHI-110094	40/53/50	Applied on 07.02.2020	Applied on 20.07.2020	Appied on 07.02.2020	Yes		<p>1. Issue direction for imposing environmental compensation due to non implementation of bar coding system.</p> <p>2. The HCF be asked to submit :- -proper project report mentioning details of proposed pollution control measures i.e. STP etc. to be taken by the HCF.</p> <ul style="list-style-type: none"> <li>- NMR of D.G.Set</li> <li>- Effluent analysis report</li> <li>- Proof of implementation of Bar Coding.</li> </ul> <p>If HCF submits above documents, and the same are found in order, grant CTE, CTO, authorization.</p>	<p>Directions u/s 5 of EPA were issued on 28.08.2020 for depositionin of environmental compensation charges of Rs. 1,16,400/- due to non implementation of bar coding system. A letter was also issued on 25.08.2020 to submit proper project report including details of proposed pollution control measures i.e. STP etc., submit NMR of D.G. set, effluent analysis report and proof of implementation of barcoding system. The HCF has submitted its representations on 30.09.2020 &amp; 28.01.2021 regarding authorizing the hospital for 50 beds instead of 53 beds &amp; enclosed copy of application submitted to DGHS on 29.09.2020 for increase of beds from 35 to 50 &amp; copy of SMS agreement for 50 beds. The HCF has informed vide its letter submitted on 04.08.2020 that they have applied for barcoding system &amp; enclosed installation report of butterfly and NMR of D.G. set of 125 KVA capacity. NMR of D.G. set &amp; effluent analysis report of STP are meeting the prescribed standards. No response has been received regarding deposition of EC charges of Rs. 1,16,400/-.</p>	<p>The HCF be asked to Submit DGHS registration certificate for 50 beds. If the HCF submit the same, authorization under BMW Rules, 2016 be granted for 50 beds and CTE &amp; CTO application submitted by the HCF be made infructous Recovery Letter for EC charges be also issued to concerned DM.</p>

  
(K.S. Jayachandran)  
Chairman

  
(Dr. Sunita Meena),  
MS, Aruna Asaf Ali Hospital

  
(P.S. Parthasarathy), Incharge, WMC-I  
Member

  
(R.K. Sharma), Env. Engineer  
Member

  
(D.K. Srivastava), AEE  
Member

  
(Naresh Kumar Meena), JEE  
Member




6	SEHGAL NEO HOSPITAL	B-362,363,364, MEERA BAGH OUTER RING ROAD NEW DELHI 110063	80/100	Applied on 17.10.2020 for 100 beds.	Applied on 17.10.2020 for 100 beds.	valid upto 05.08.2022. Fresh applied on 04.03.2020 for 100 beds.	Yes	48 KLD	Ask the HCF to apply for CTE and CTO for enhanced bed strength with all the required documents and also submit the proper details of category wise bio medical waste generated from the HCF.	A letter was issued to the HCF on 25.08.2020 to apply for CTE & CTO for enhanced bed strength along with all the required documents and submit the proper details of category wise bio medical waste generated from the HCF. The HCF has applied for CTE & CTO on 17.10.2020 for 100 beds. After scrutiny, clarifications were raised w.r.t details of column no 13,14,15,16 & 17 of CTE /CTO application and balance fee of Rs. 1000/- & Rs. 7500/-. Clarification was also raised in authorization application regarding submission of DMC, undertaking, aadhar card, pan card & balance fee of Rs. 15900/-. The HCF submitted/ uploaded the information/documents and deposited the balance fee.	CTE, CTO & authorization for 100 beds be granted.
7	Panchsheel Hospital Pvt Ltd.	C-3/63 A, 64 A, Yamuna Vihar Delhi-110053	50/ 80	Applied on 14.03.2020 for 80 beds.	Applied on 14.03.2020 for 80 beds.	Applied on 14.03.2020 for 80 beds.	Yes	40 KLD	Ask the HCF to submit proper project report mentioning details of proposed pollution control measures such as details of STP along with justification of the proposed capacity of 15 KLD. If HCF submits the same and found in order, CTE, CTO and authorization be granted	Letter was issued to the HCF on 17.08.2020 to submit proper project report mentioning details of proposed pollution control measures such as details of STP along with justification of proposed capacity of 15 KLD STP. The HCF has submitted project report vide its letter dated 11.11.2020 informing that they have installed 40 KLD STP. The HCF has submitted effluent analysis report of STP dated 01.12.2020 & NMR of DG sets dated 14.09.2021 from DPCC lab (mentioning that 250 KVA DG set not in use and 82.5 KVA DG set was operational) which shows that all the parameters are meeting the prescribed standards.	CTE, CTO & authorization for 80 beds be granted
8	Aruna Asaf Ali Hospital,	5 Rajpur Road, Delhi-54	100	Granted	Applied for renewal on 17.06.2021	Valid upto 21.05.2024	Yes	60 KLD	Authorization be granted with the condition that the Noise Monitoring Report (NMR) shall be submitted within one month.	Authorisation under BMWM Rules was issued on 06.08.2020. A letter was also issued on 09.09.2020 to submit NMR of DG set within 01 month. The HCF has applied for renewal of CTO on 17.06.2021 without uploading any documents including effluent analysis report & NMR of DG sets. Clarification was raised on 17.08.2021 & 19.07.2022. However no reply has been received. The HCF has also registered in C&D portal for expansion & remodelling of the HCF for built up area of 10090 sq. mt. & start date of construction is 10.08.2019. The project proponent/ HCF has not obtained CTE under Water & Air Acts.	SCN for refusal of CTO be issued. The HCF be also asked to provide the status of Online Monitoring System with STP. The project proponent/ HCF be asked to apply for CTE under Water & Air Acts for the proposed project with all the requisite documents within 15 days.

  
(K.S. Jayachandran)  
Chairman

  
(Dr. Sunita Meena,  
MS, Aruna Asaf Ali Hospital

  
(P.S. Hanka), Incharge, WMC-I  
Member

  
(R.K. Sharma), Env. Engineer  
Member

  
(D.K. Srivastava), AEE  
Member

  
(Naresh Kumar Meena), JEE  
Member

9	GURU GOBIND SINGH HOSPITAL	RAGHUBIR NAGAR NEW DELHI 110015	100	Granted	Applied for renewal of CTO on 25.06.2021	Valid upto 22.05.2024	Yes	300 KLD	Authorisation may be granted with the condition that the noise monitoring report of remaining D.G set shall be submitted within one months.	Authorisation under BMWM Rules was issued on 06.08.2020 which is valid upto 22.05.2024. A letter was also issued on 31.08.2020 to submit NMR of remaining DG set of 500 KVA. The HCF has applied for renewal of CTO on 25.06.2021. The application is found incomplete w.r.t effluent analysis report of STP/ ETP. Accordingly online clarification was raised on 30.09.2021. The HCF uploaded the effluent analysis report of STP which was found incomplete as Bio-assay test was not analyzed. Clarification was again raised on 19.07.2022. The HCF has submitted NMR of both the DG sets of 500 KVA capacity each & stack monitoring report of boiler which shows that all the parameters are meeting the prescribed standards.	The HCF be asked to submit effluent analysis report of STP for all the parameters including bio-assay test. If the HCF submits the same & found in order, renewal of CTO be granted.
10	DIVYA PRASTHA HOSPITAL	MAIN ROAD, PALAM COLONY NEW DELHI 110045	55/60	Applied on 19.07.2022 for 60 beds.	Applied on 13.07.2022 for 60 beds.	Valid upto 10.12.2024 for 55 beds.	Yes	30 KLD	SCN u/s 33 (A) of Water Act,1974 for revocation of consent and closure of the HCF be issued w.r.t deficiencies observed. Show cause notice for refusal of authorisation under rule of 10 (2) of BMW Rules 2016 w.r.t deficiencies observed regarding management of bio medical waste be also issued.	SCN u/s 33 (A) of Water Act, SCN for revocation of CTO & refusal of authorization application was issued on 25.08.2020. The HCF deposited EC charges of 3,57,500/- and submitted its reply in response to SCN issued on 25.08.2020. As approved, authorisation under BMWM Rules for 55 beds was issued on 12.11.2020 which is valid upto 10.12.2024. The HCF was inspected by DPCC officials on 05.05.2022 w.r.t a public complaint & deficiencies were observed w.r.t segregation (average) in wards, putting of bio-hazard symbol on each container of BMW & displaying of posters at every stoorage collection. Accordingly a letter was issued on 13.05.2022 for rectification of deficiencies. The HCF submitted its reply on 27.05.2022 along with photograph of collection bins showing segregation, bio-hazard symbol & posters for segregation of BMW. Now the HCF has applied for CTE & renewal of CTO for 60 beds on 19.07.2022 & 13.07.2022 respectively. It reveals from the effluent analysis report of STP dated 07.07.2022 that all the parameters are meeting the prescribed standards. However, NMR of both the DG sets of 82.5 KVA & 100 KVA are not meeting the prescribed standards at 01 m distance away from acoustic enclouser surface i.e 76.5 KVA & 76.8 KVA. The HCF has submitted fresh NMR of both DG sets from DPCC lab dated 26.07.2022 which are meeting the prescribed standards.	The HCF be asked to apply for Authorisation under BMWM Rules, 2016 for 60 beds along with all the requisite documents. The HCF be directed to deposit EC charges of Rs. 200000/- for both the DG sets. If the HCF deposit the EC charges, CTE & CTO for 60 beds be granted.

(K.S. Jayachandran)  
Chairman

(Dr. Sunita Meena,) MS, Aruna Asaf Ali Hospital

(P.S. Pankaj), Incharge, WMC-I Member

(R.K. Sharma), Env. Engineer Member

(D.K. Srivastava), AEE Member

(Naresh Kumar Meena), JEE Member

11	METRO HOSPITAL & CANCER INSTITUTE	21, COMMUNITY CENTRE, PREET VIHAR NEW DELHI 110092	155	Granted	Applied on 26.06.2020	Valid upto 10.04.2024	Yes	90 KLD ETP - 10 KLD	Reminder be issued to submit hard copy along with Effluent Test Report and other requisite documents. If HCF submits the same and found in order, CTO be granted	The HCF has inspected by DPCC Officials on 08.03.2022 w.r.t public complaint. During the inspection, discrepancies were observed w.r.t adequate stack height with both the DG sets with 250 KVA & 320 KVA, installation of proper device with ETP & STP i.e. filter press for collection of sludge & its record, maintaining the record of used oil of DG sets & coloured portion & ventilation system with temporary storage site of BMW. As approved letter for the same was issued on 05.04.2022. The HCF submitted its reply on 24.05.2022 along with photographs of DG sets showing stack height provided with the DG sets, photograph of filter press, tax invoice dated 17.05.2022 addressed to Bharat Oil & Waste Management Limited for sending of used oil and photographs of temporary storage of BMW showing coloured portion and ventilation system. The HCF was again inspected by DPCC Officials on 08.07.2022 and it was observed that discrepancies observed during last inspection have been rectified.	Renewal of CTO be granted
12	COMPOSITE HOSPITAL CRPF	CRPF, JHARODA KALAN NEW DELHI 110072	100	Granted	Applied on 30.10.2021	Valid upto 22.11.2025	Yes	30 KLD	Expedite inspection and issue SCN u/s 5, u/s 33 (A) and u/s 31 (A) for closure of HCF and levying of EC.	SCN u/s 5, u/s 33(A) and 31 (A) for closure including levying of EC charges was issued on 21.08.2020. The HCF submitted its reply & inform that they have submitted CTE application on 04.11.2020 & authorization application on 23.11.2020. As approved, directions to deposit EC charges of Rs. 21,26250/- & a letter to provide the adequate stack height with the operational DG set & provide its exact capacity, submit time bound programm for installation of STP & to file the application for CTO were issued on 02.03.2021. The HCF filed an appeal before the Appellate Authority. The Appellate Authority vide its order dated 26.07.2021 set aside the order dated 02.03.2021 regarding imposition of EC charges. The HCF has applied for CTO on 30.10.2021. The application was found incomplete w.r.t column no. 15 & 17 of CTO application, effluent analysis report of STP, no. of DG sets & its capacity and NMR & balance fee of Rs. 400/-. Accordingly online clarification was raised on 18.07.2022.	The HCF be asked to submit details of column no. 15 & 17 of CTO application, no. of DG sets & its capacity, NMR of DG sets, details of the STP, effluent analysis report of STP, status of Online Monitoring System with STP & deposit balance fee of Rs. 400/-. If the HCF submits the same and found in order CTO be granted.

  
(K.S. Jayachandran)  
Chairman

  
(Dr. Sunita Meena,  
MS, Aruna Asaf Ali Hospital

  
(P.S. Pant), Incharge WMC-I  
Member

  
(R.K. Sharma), Env. Engineer  
Member

  
(D.K. Srivastava), AEE  
Member

  
(Naresh Kumar Meena), JEE  
Member



13	SDMC 100 bedded Colony Hospital	Tilak nagar	100	Applied 02.02.2020			No	STP-75 ETP-10	Ask the HCF to submit sanctioned building plan and proper project report such as detail of STP along with justification of its proposed capacity mentioning details of pollution control measures. Also ask the HCF to categorically submit total builtup area including its basement and other service areas on all floors put together.	A letter was issued to the proposed HCF on 17.08.2020. The proposed HCF submitted its reply on 25.08.2020 along with 1 page project report, copy of undertaking, copy of project report for effluent cum STP of 85 KLD. However total built up area as asked vide letter 17.08.2020 has not been submitted. As approved a letter was issued on 20.12.2021 to submit total built up area including its basement & other service areas on all floors put together & also provide the information w.r.t column no. 13,14,15 & 20 of the application form. The applicant was also asked to submit an undertaking informing that the proposed 100 bedded colony hospital does not come under the purview of EIA notification, 2006 & not required to obtain EC for the same. The applicant was also asked to submit fresh application for CTE as the fee submitted by the applicant has been already lapsed. No reply received from the applicant so far. Online clarification was also raised on 13.04.2022 but no response has been received.	Inspection be done to check the factual position.
14	DELHI STATE CANCER INSTITUTE	IN THE PERMISES OF JANAK PURI SUPER SPECIALITY HOSPITAL 110058	100	Not Applied	Not Applied	Not Applied	No		SCN u/s 5 of EPA for closure and levying of EC be issued for operating the HCF without applying for mandatory authorization.	SCN u/s 5 of EPA for closure and levying of EC charges of Rs. 19,12,800/- for the period from 28.03.2016 to 07.08.2020 was issued on 17.08.2020. A reply was received on 11.09.2020 from Dr. Surender Kumar, Assistant Director (Coordination), DSCI, Dilshad Garden & informed that DSCI (West) is not the owner of the premises and DSCI & Janakpuri Super Speciality Hospital are under the administrative control of Health & Family Welfare Department Govt. of NCT, Delhi. As approved, directions u/s 5 of EPA were issued on 29.06.2021 to apply for mandatory authorization under BMW Rules, 2016 within 15 days & deposit EC charges @ of Rs. 1200/- per day for the period from 28.03.2016 to date of submission of application for Authorization to DPCC. Copy of the direction was also send to the Assistant Director (Coordination). However, no response has been received so far.	Recovery letter for EC Charges of Rs.19,12,800/- be issued to concerned DM.

  
(K.S. Jayachandran)  
Chairman

  
(Dr. Sunita Meena,) MS, Aruna Asaf Ali Hospital

  
(P.S. Pankaj) Incharge WMC-I Member

  
(R.K. Sharma), Env. Engineer Member

  
(D.K. Srivastava), AEE Member

  
(Naresh Kumar Meena), JEE Member

15	Pandit Madan Mohan Malviya Hospital, Govt. of Delhi,	Malviya Nagar, Delhi-110017	100	Granted	Applied on 05.03.2021	Applied on 16.11.2021	Yes	50 KLD	Ask the HCF to contact IT Cell of DPCC to resolve the issue and submit the application for CTO within 30 days. Copy of letter be endorsed to IT cell also for necessary action.	A letter was issued on 25.08.2020 to contact IT cell of DPCC to resolve the issue & submit application of CTO within 30 days. The HCF has applied for CTO on 05.03.2021. The application was found incomplete w.r.t details of column no. 13, 14, 15, 16 & 17 of CTO application, pan card, aadhar card, undertaking, electricity bill & water bill. Accordingly, online clarification was raised on 26.07.2022 &. The HCF has submitted effluent analysis report of STP/ ETP dated 25.02.2021 & NMR dated 08.02.2021 of both the DG sets of 250 KVA each which shows that all the parameters are meeting the prescribed standards. Effluent sample was also collected by DPCC lab on 26.09.2021 as the TSS & BOD were exceeding in online OLMS software data. Effluent analysis report of DPCC lab dated 08.10.2021 received which shows that BOD & Bio-assay test were not meeting the prescribed standards. As approved, SCN U/s 33(A) of Water Act was issued on 28.10.2021. However, no response has been received. As approved SCN u/s 33(A) of Water Act was again issued on 05.01.2022 as the OLMS of the HCF was offline since 26.11.2021. However, no response has been received. Now a reply has been received through email dated 27.07.2022 along with copy of various letter sent to PWD, reply received from PWD dated 17.06.2022 regarding upgradation of Online system in DPCC portal. It shows from the portal of OLMS that the HCF has registered in the portal twice. The later registered OLMS is also showing offline since 16.07.2022. The HCF has also applied for Authorisation on 16.11.2021. The application was found incomplete w.r.t to DMC certificate, aadhar card, undertaking, and no. of beds in online application form. Accordingly, clarification was raised on 20.07.2022. The HCF uploaded its reply & also submitted hard copy of the documents vide its letter dated 14.06.2022.	Authorization for 100 beds be granted.  Directions u/s 33(A) of Water Act be issued to the HCF to rectify the OLMS & put it in online mode immediately & submit the fresh effluent analysis report of STP for all the prescribed parameters from an approved lab by DPCC/NABL accredited lab within 30 days. The HCF be also asked to submit details w.r.t column no. 13, 14, 15, 16 & 17 of CTO application, pan card, aadhar card, undertaking, electricity bill & water bill. If the HCF submit the aforesaid documents/ information and found in order renewal of CTO be granted.
16	G.L. MTY HOSPITAL (MEDICAL SUPERINTENDENT)	AJMERI GATE NEW DELHI NEW DELHI 110002	97	Granted	Applied on 16.03.2012. The HCF has applied for CTE on 05.07.2019 instead of CTO but unable to view the application.	Valid upto 07.05.2024	Yes	35 KLD	Reminder be issued to submit hard copy along with Effluent Test Report and other requisite documents. If HCF submits the same and found in order, CTO be granted	Reminder was issued on 25.08.2020, the HCF has submitted its reply on 09.06.2021, but the details mentioned in column no 13, 14, 15, 16 & 17 of application form and undertaking was not found proper. The matter was discussed with Nodal officer of the HCF on phone after that reply i.e details of above column again submitted on 06.08.2021 but the same was again found improper.	SCN for refusal of CTO be issued

  
(K.S. Jayachandran)  
Chairman

  
(Dr. Sunita Meena),  
MS, Aruna Asaf Ali Hospital

  
(P.S. Pankaj) Incharge, WMC-I  
Member

  
(R.K. Sharma), Env. Engineer  
Member

  
(D.K. Srivastava), AEE  
Member

  
(Naresh Kumar Meena), JEE  
Member

Minutes of BMW Committee No. 2, Meeting held on 04.08.2022 headed by M.S, DPCC (for HCF heaving bed strength between 51 to 199)

17	Altius Sonia Hospital	I Gulshan Park Main Rohtak Road Delhi 110041, 110041, Badli Industrial Area, WEST	70	Granted	Applied on 05.12.2020	Valid upto 26.09.2022	Yes	35		The HCFs has applied for renewal of CTO on 05.12.2020, The application was found incomplete w.r.t details of colum no. 7(b), 13, 14, 15, 16, 17 & 20, balance fee of Rs.- 13250/- and Effluent analysis report of STP. Accordingly, online clarifications were raised on 22.02.2022, 23.05.2022, 14.06.2022, 04.07.2022 and 15.07.2022 The HCF submitted/uploaded its reply on 01.04.2022, 08.06.2022, 15.06.2022, 06.07.2022 and 15.07.2022 Effluent analysis report of STP and NMR of both the DG Sets of 82.5 KVA & 200 KVA capacity shows that all the parameters are within the prescribed standards.	Renewal of CTO be granted.
18	KONARC HOSPITAL	9A/1 NARESH PARK NANGLOI, 110041, Badli Industrial Area, WEST	80/57	Granted	Applied on 25.06.2021 for 57 beds	Valid upto 25.08.2025 for 80 beds	Yes	30 KLD		The HCF has applied for renewal of CTO on 25.06.2021 for 57 beds. The application was found incomplete w.r.t column no. 2,7,13,14,15,16 & 17 of CTO application, undertaking, DGHS regisatrion certificate and balance fee of Rs. 1250/-. Accordingly online clarification was raised on 19.07.2022. The HCF uploaded the details/ documents on 20.07.2022 including DGHS registration certificate for 57 beds except undertaking & balance fee of Rs. 1250/-. The HCF has submitted effluent analysis report of STP dated 31.05.2022 and NMR dated 25.05.2022 of one DG set of 82.5 KVA capacity which shows that all the parametres are meeting the prescribed standards. The HCF has not submitted NMR of 125 KVA DG set.	Decesion taken on file is ratified. The HCF be asked to submit undertaking, NMR of 125 KVA DG set & balance fee of Rs. 1250/-. If the HCF submits the same & found in order, CTO & Authorization (after keeping pending of earlier authorization issued for 80 beds) for 57 beds be issued. The HCF be also asked to not to use authorization issued for 80 beds in future.
19	Shri Dada Dav Matri Avum Shishu Chikitsalya	Khera Dabar, Najafgarh	106	Granted	Applied for renewal on 22.11.2021	Valid upto 05.09.2023	Yes	60 KLD		The HCF has applied for renewal of CTO on 22.11.2021. The application was found incomplete w.r.t details of coulumn no. 13,14,15,16,17, 19 & 20 of CTO application, undertaking , NMR of DG sets & balance fee of Rs. 50/- . Accordingly, online clarification was raised on 22.07.2022. The HCF has submitted effluent analysis report of STP dated 16.11.2021 which is not meeting the prescribed standards w.r.t TSS, BOD & Bio-assay test. The HCF has submitted NMR dated 15.11.2021 of both the DG sets of 320 KVA capacity each which shows that all the parameters are meeting the prescribed standards. The HCF has also not installed the OLMS with STP.	SCN u/s 33 (A) of Water Act for closure for not meeting the prescribed standards & non installation of OLMS with STP and SCN for refusal of CTO be issued. The HCF also be asked to submit details of coulumn no. 13,14,15,16,17, 19 & 20 of CTO application, proper undertaking & deposit balance fee of Rs. 50/-.

(K.S. Jayachandran)  
Chairman

(Dr. Sunita Meena,) MS, Aruna Asaf Ali Hospital

(P.S. Parkaj), Incharge WMC-I Member


(R.K. Sharma), Env. Engineer Member

(D.K. Srivastava), AEE Member

(Naresh Kumar Meena), JEE Member

20	Jeewan Hospital & Nursing home Pvt. Ltd.	150, Jeewan Nagar, Gate No. 1, Opp. Maharani Bagh, Delhi-14	116	Granted	Applied for renewal on 12.01.2021	Valid upto 06.03.2024	Yes	45 KLD		The HCF has applied for renewal of CTO under Water & Air Acts 12.01.2021. The application was found incomplete w.r.t details of column no. 13,14,15,16 & 17 of CTO application, aadhar card, valid NMR of DG sets, effluent analysis report of STP & balance fee of Rs. 3750/- Accordingly clarification was raised on 09.12.2021. The HCF submitted the information/ documents on 10.20.2022 & also deposited balance fee of Rs. 3750/- It reveals from the NMR of both the D.G. sets of 200 KVA and 180 KVA capacity & effluent analysis report of outlet of STP that all the parameters are meeting the prescribed standards. The HCF has also informed vide its letter dated 20.06.2022 that they have already implemented barcode system & installed Online monitoring system with STP. However OLMS is not connected with DPCC server.	Renewal of CTO be granted with the condition that OLMS will be connected to DPCC server within 30 days.
21	Cygnus MLS Hospital Pvt. Ltd.	Plot No. 4, Main Kanjhawla Road, Near balaji Mandir, New Delhi-88	86	Granted	Applied for renewal on 27.05.2021	Valid upto 15.06.2023	Yes	35 KLD		The HCF has applied for renewal of CTO under Water & Air Acts 27.05.2021. The application was found incomplete w.r.t details of column no. 14,15 & 16 of CTO application, pan card, aadhar card, undertaking, capacity of ETP/ STP, CA certificate NMR of both the DG sets, effluent analysis report of ETP/ STP & Balance fee of Rs. 13,350/-. Accordingly online clarification was raised on 27.04.2022, 23.05.2022 & 24.05.2022. The HCF submitted its reply/documents on 23.05.2022 & 24.05.2022 & also submitted balance fee of Rs. 13,350/-. It reveals from the NMR of both the D.G. sets of 250 KVA and 125 KVA capacity & effluent analysis report of outlet of STP that all the parameters are meeting the prescribed standards.	Renewal of CTO be granted.
22	Surya Kiran Hospital Pvt Ltd	31-34, Roshan Mandi, Najafgarh, Delhi	101	Granted	Applied for renewal on 05.06.2021	Valid upto 26.09.2024	Yes	40 KLD		The HCF has applied for renewal of CTO on 05.06.2021. The HCF has deposited balance fee of Rs. 2500/- vide its letter dated 01.07.2021. The application was found incomplete w.r.t. balance fee of Rs. 1250/-. Accordingly clarification was raised on 11.10.2021. The HCF has submitted the balance fee of Rs. 1250/- on 04.01.2022. The HCF has submitted effluent analysis report of STP dated 09.07.2021 (for 05 parameters instead of 06 parameters) and NMR of both the DG sets of 62 KVA & 82 KVA dated 11.07.2021 from AGSS Analytical & Research Lab. Noise level at 1m from the acoustic enclosure surface for both the DG sets are meeting the prescribed standards. The HCF has submitted fresh effluent analysis report of STP dated 11.07.2022 & NMR of both the DG sets of 62 KVA & 82 KVA dated 11.07.2022 which shows which shows that all the parameters are meeting the prescribed standards. The HCF has not installed OLMS with STP & requested for grant of 4 months time for its installation vide its letter dated 08.07.2022.	Renewal of CTO be granted with the condition that the OLMS with STP shall be installed within 30 days.

  
(K.S. Jayachandran)  
Chairman

  
(Dr. Sunita Meena,  
MS, Aruna Asaf Ali Hospital

  
(P.S. Panikaj) Incharge, WMC-I  
Member

  
(R.R. Sharma), Env. Engineer  
Member

  
(D.K. Srivastava), AEE  
Member

  
(Naresh Kumar Meena), JEE  
Member



23	Savitri Hospital	142/91 Extended lal dora, kanjhawala	53	Granted	Applied for renewal on 05.08.2020	Valid upto 21.06.2024	Yes	20 KLD		The HCF has applied for renewal of CTO on 05.08.2020. The HCF has deposited balance fee of Rs. 3470/- vide its letter dated 27.08.2021. The application was found incomplete w.r.t to column no. 13,14,15,16 & 17 of CTO application and balance fee of Rs. 280/- . Accordingly clarification was raised on 08.07.2022 The HCF has submitted the information & also deposited balance fee of Rs. 280/- on 12.07.2022. The HCF has submitted effluent analysis report of STP dated 16.07.2020 & NMR of 62.5 KVA DG set dated 26.07.2021 which shows that all the parameters are meeting the prescribed standards.	Renewal of CTO be granted
24	Bhagwati Hospitals	CS/OCF-6, Sector-13 Rohini, Delhi- 110085	105/100	Granted	Valid upto 09.05.2024 for 105 beds.	Applied on 29.12.2021 for 100 beds.	Yes	40 KLD		The HCF has obtained CTO for 105 beds on 19.12.2019 which is valid upto 09.05.2024. Now it has reduced bed strength from 105 beds to 100 beds and applied for renewal of Authorisation under BMWM Rules, 2016 for 100 beds along with DGHS registration certificate for 100 beds. The HCF has submitted NMR of 250 KVA DG set which shows that noise level at 1m away from the acoustic enclosure surface are within the prescribed standards. The HCF has not installed OLMS with STP.	Renewal of Authorisation & CTO (after keeping pending the application issued earlier for 105 beds) for 100 beds be granted with the condition that OLMS with STP shall be installed within 30 days.
25	Kailash Deepak Hospital ( Formerly known as Deepak Memorial Hospital)	Karkardoma, Vikasmarg Plot No. 5 & 6, Institutional Area	150	Granted	applied on 07.05.2022	applied on 07.05.2022	Yes	95 KLD ETP - 30		The HCF has applied for CTO under Water & Air Acts initially for 150 beds and Authorisation under BMWM Rules, 2016 in the name of Kailash Deepak Hospital on 07.05.2022. The HCF has not submitted NMR of DG sets, Effluent analysis report of STP/ETP and balance fee of Rs. 14500/-. Accordingly, online claification was raised on 19.07.2022.	Since it is a new hospital, the HCF be asked to deposit balance fee of Rs. 14500/-. If the HCF deposit the same,CTO & authorization be granted with the condition that the HCF shall submits the Effluent analysis report of STP/ETP & NMR of DG sets, and also install OLMS with STP within 30 days.
26	Maharaja Agrasen Hospital	Sector-1, Dwarka, Delhi- 110075	70	Granted	applied on 07.11.2020	21.10.2023	Yes	50 KLD		The HCF has applied for renewal of CTO under Water & Air Acts 07.11.2020. The application was found incomplete w.r.t. Undertaking, balance fee of Rs. 3750/- and details of column no. 13, 14, 15, 16 & 17 of CTO application. Accordingly, clarification was raised on 10.06.2022 & 28.06.2022. The HCF has submitted the information/ documents on 28.06.2022 and also deposited balance fee of Rs. 3750/-. The HCF has submitted NMR of both the D.G. sets of 380 KVA and 200KVA capacity & effluent analysis report of outlet of STP which shows that all the parameters are meeting the prescribed standards.	Renewal of CTO may be granted.

  
(K.S. Jayachandran)  
Chairman

  
(Dr. Sunita Meena,  
MS, Aruna Asaf Ali Hospital

  
(P.S. Panjaj), Incharge, WMC-1  
Member

  
(R.K. Sharma), Env. Engineer  
Member

  
(D.K. Srivastava), AEE  
Member

  
(Naresh Kumar Meena), JEE  
Member




Minutes of BMW Committee No. 2, Meeting held on 04.08.2022 headed by M.S, DPCC (for HCF heaving bed strength between 51 to 199)

27	Jeewan Nursing home & hospital	2-B Pusa Road New Delhi	101/60	Granted	CTO valid upto 03.10.2022 for 101 beds .Applied on 15.03.2022 for 60 beds	Authorization applied for 09.10.2021 for 60 beds.	Yes	35 KLD		The HCF has reduced its bed strength from 101 beds to 60 beds & applied for authorization under BMWM, Rules 2016 & CTO under Water & Air Acts 09.10.2021 & 15.03.2022 respectively. The HCF has also enclosed DGHS registration certificate for 60 beds. It reveals from the NMR of both the D G sets of 63 KVA & 82.5 KVA capacity & effluent analysis report of outlet of STP that all the parameters are meeting the prescribed standards. As approved in the file, the HCF was also inspected by the DPCC officials on 30.06.2022 & it was observed that it is a 60 bedded hospital, segregation of waste found satisfactory, log book of STP, record of training, vaccination, immunization, etc. are being maintained	The HCF be asked to surrender the original CTO for 101 beds. If the HCF surrender the same, CTO & authorization for 60 beds be granted.
28	Mata Roop Rani Maggo Hospital Pvt. Ltd.	C-8 & 9, Om Vihar, PH-1, Urtam Nagar, Metro Pillar No-709, New Delhi - 110059	100/99	Granted	Applied on 11.06.2022	Applied on 11.06.2022	Yes	40 KLD		The HCF has reduced its bed strength from 100 beds to 99 beds & applied for authorization under BMWM, Rules 2016 & CTO under Water & Air Acts for 99 beds 11.06.2022. The authorization application under BMWM Rules, 2016 was found in order. The CTO application was found incomplete w.r.t balance fee of Rs. 2500/-. Accordingly, online clarification was raised on 07.07.2022. The HCF has submitted its reply on 11.07.2022 & also deposited balance fee of Rs. 2500/-. The HCF has informed vide its letter dated 16.03.2019 that bed strength of the HCF is 93 and enclosed a DGHS letter dated 10.01.2018 in this regard. It reveals from the NMR of 3 D.G. sets of 300 KVA, 200KVA & 125KVA capacity & effluent analysis report of outlet of STP that all the parameters are meeting the prescribed standards.	The HCF be asked to submit DGHS registration certificate for 99 beds. If HCF submits the same and found in order CTO & Authorization for 99 beds be granted.
29	Society of Unique hospitals & Research Institute	Sector-19, Dwarka	154	Granted	Applied on 09.08.2021 for 154 beds.	Applied on 17.06.2022 for 154 beds.	Yes	STP-100 ETP-20 for 154 beds.		The HCF has initially applied for 154 beds for grant of CTO on 09.08.2021 and Authorisation on 05.04.2021. The CTO application was found incomplete w.r.t column no. 13, 14, 15, 16 & 17, incomplete effluent analysis report of STP & ETP, undertaking and balance fee of Rs. 32000/-. Accordingly online clarification was raised on 25.07.2022. Authorization application was also found incomplete w.r.t improper NMR of DG set of 250 KVA capacity.	The HCF be asked to submit details of column no. 13, 14, 15, 16 & 17 of CTO application, complete effluent analysis report of STP & ETP, undertaking, proper NMR of DG set of 250 KVA capacity and balance fee of Rs. 32000/-. If the HCF submits the same and found in order, CTO & Authorisation for 154 beds be granted, with the condition that the HCF shall install OLMS with STP within 30 days and shall comply with all the conditions of EC.

  
(K.S. Jayachandran)  
Chairman

  
(Dr. Sunita Meena),  
MS, Aruna Asaf Ali Hospital

  
(P.S. Rana), Incharge, WMC-I  
Member

  
(R.K. Sharma), Env. Engineer  
Member

  
(D.K. Srivastava), AEE  
Member

  
(Naresh Kumar Meena), JEE  
Member

Minutes of BMW Committee No. 2, Meeting held on 04.08.2022 headed by M.S, DPCC (for HCF heaving bed strength between 51 to 199)

30	NTPC Badarpur Hospital	NTPC Badarpur	76	Not Applied	Not Applied	Applied on 22.05.2021	No			Earlier, the matter was discussed with Dr. Preeti, Incharge and it was informed that the HCF is also required to apply for CTE & CTO under Water and Air Act being 76 bedded hospital. However, as per the record the HCF has not applied for CTE & CTO. The matter was again discussed with Dr. Preeti on 25.07.2022 and it was informed that the proposal for opening of 76 bedded HCF has been dropped. It was informed to her to please send an email in this regard so that the application can be disposed off. However no response has been received.	Authorisation application be rejected.
31	Gandhi Hospital (A unit of Pawan Gandhi Healthcare Pvt. Ltd.)	C-50 & C-51, Om Vihar, Uttam Nagar, 110059	60	Granted	Applied for renewal on 10.06.2022	Valid upto 18.04.2023	Yes	30 KLD ETP-5 KLD		The HCF has applied for renewal of CTO on 10.06.2022. The application was incomplete w.r.t balance fee of Rs. 3750/-. Accordingly, online clarification was raised on 07.07.2022. The HCF deposited the balance fee of Rs. 3750/- on 18.07.2022. The HCF has submitted effluent analysis report of STP & NMR of both the DG set of 125 & 200 KVA capacity which shows that all the parameters are meeting the prescribed standards.	Renewal of CTO be granted
32	Delhi Heart & Lung Institute Super Speciality Hospital	3 MM-II Panchkuian Road, New Delhi - 110055	100	Granted	Applied for renewal on 05.09.2020	Applied for renewal on 20.07.2022	Yes			The HCF has applied for renewal of CTO under Water & Air Acts & authorization under BMWM Rules, 2016 on 05.09.2020 & 20.07.2022 respectively for 100 beds. The CTO application was found incomplete w.r.t to column no. 13,14,15,16,17 & STP/ETP capacity, effluent analysis report of STP and balance fee. Accordingly, online clarification was raised on 28.02.2022. However the HCF has not submitted/uploaded its reply in OCMMS. In OCMMS NMR of both the DG sets of 320 KVA & 500 KVA capacity dated 12.02.2021 and effluent analysis report of STP dated 30.12.2020 conducted by DPCC lab are showing. NMR of both DG sets are meeting the prescribed standards. However, effluent analysis report of STP are not meeting the prescribed standards w.r.t BOD & Bio-assay. The HCF submitted fresh effluent analysis report dated 05.04.2022 from NABL accredited lab vide its letter dated 01.06.2022. But report is incomplete as bio-assay test is missing. Remaining parameters are meeting the prescribed standards. The HCF has installed OLMS with its STP.	The HCF be asked to submit fresh effluent analysis report of STP for all the prescribed parameters, capacity of ETP/ STP, details of column no. 13,14,15,16 & 17 of CTO application and deposit balance fee of Rs. 2500/-. If the HCF submit the same and found in order, renewal of CTO & Authorisation be granted.
33	M/s Sant Parmanand Hospital	18, Shamnath Marg, Civil lines	153	Granted	valid upto 24.11.2024	Applied for renewal on 02.05.2022	Yes	125 KLD ETP-10 KLD		The HCF has applied renewal of Authorisation initially for 153 beds. The application was found incomplete w.r.t valid copy of DMC, aadhar card, pan card & prescribed undertaking for authorization. Accordingly online clarification was raised on 19.07.2022. The HCF has submitted NMR dated 11.03.2022 for all the 3 DG sets of 2*380 KVA & 500 KVA which shows all the parameters are meeting the prescribed standards. The HCF has submitted/ uploaded the documents on 21.07.2022.	Renewal of authorization be granted.
34	Kalra Hospital SRCNC Pvt. Ltd.	A-6 Kirti nagar, New Delhi	116	Granted	Valid upto 08.01.2024	Applied for renewal on 09.06.2022	Yes	125 KLD ETP-25 KLD		The HCF has applied for renewal of authorization on 09.06.2022. The HCF has submitted NMR of 5 DG sets (1*200 KVA, 4*320 KVA) dated 06.06.2022 which shows that all the parameters are meeting the prescribed standards.	Renewal of authorization be granted.

  
(K.S. Jayachandran)  
Chairman

  
(Dr. Sunita Meena),  
MS, Aruna Asaf Ali Hospital

  
(P.S. Parkash), Incharge, WMC-I  
Member

  
(R.K. Sharma), Env. Engineer  
Member

  
(D.K. Srivastava), AEE  
Member


  
(Naresh Kumar Meena), JEE  
Member

35	BRAHM SHAKTI HOSPITAL	U-1/78, BUDH VIHAR, DELHI-86, 110086, Badli Industrial Area, NORTH WEST	100	Granted	Applied on 16.07.2022	Valid upto 21.01.2023	Yes	40 KLD		The HCF has inspected by DPCC Officials on 28.01.2021. During the inspection, discrepancies were observed w.r.t non-operation of STP and biomedical waste was found mixed with general waste. The HCF has applied for renewal of CTO under Water & Air Acts on 16.07.2022 for 100 beds. The CTO application was found incomplete w.r.t to column no. 7, 13,14,15,16 & 17, Aadhar Card, and balance fee of Rs. 2500/-. Accordingly, online clarification was raised on 27.07.2022. However, the HCF has not submitted/ uploaded its reply in OCMMS.	Reinspection should done. The HCF be asked to submit details of column no. 7, 13, 14, 15, 16 & 17 CTO application, Aadhar card and balance fee of Rs. 2500/-.
36	ACHARYA BHIKSHU GOVT. HOSPITAL	Moti Nagar, New Delhi-110015, 110015	150	Granted	Applied on 11.07.2022	Valid upto 28.07.2024	Yes	100 KLD		The HCF has applied for renewal of CTO on 11.07.2022. The CTO application was found incomplete w.r.t to column no. 13,14,15,16, 17, 19 & 20 of CTO application, proper undertaking and balance fee of Rs. 250/- . Accordingly, online clarification has been raised on 03.08.2022. The reply is still awaited. The HCF has submitted NMR of both the DG sets of 500 KVA capacity each dated 25.05.2022, effluent analysis report of STP dated 31.05.2022, which shows that all the parameters are meeting the prescribed standards.	The HCF be asked to submit details of column no. 13,14,15,16, 17, 19 & 20 of CTO application, proper undertaking and deposit balance fee of Rs. 250/- . If the HCF submit the same and found in order, renewal of CTO be granted.
37	RATHI HOSPITAL	Plot No. 2, 3 & 4, Pratap Vihar, Safipur Ranhaula (Nangloi Nagafgarh Main Road ) Delhi-110041.	110/101	Granted	Applied on 01.08.2022 for 101 beds	Applied on 01.08.2022 for 101 beds	Yes	40 KLD		Earlier, the HCF has obtained CTO & Authorisation for 110 beds. Now the HCF has reduced its beds strength to 101 beds and applied for renewal of CTO & Authorisation under BMWM Rules, 2016 on 01.08.2022. It reveals from the application that the HCF has also taken premises No. 2 & 4. The Authorisation application was found incomplete w.r.t. valid NMR of DG set of 160 KVA. Accordingly, online clarification has been raised on 03.08.2022. The CTO application was also found incomplete w.r.t to column no. 13,14,15,16, 17 of CTO application, effluent analysis report of STP, NMR of DG sets of 160 KVA and balance fee of Rs. 2500/-. Accordingly, online clarification is being raised. The HCF has not installed OLMS with STP.	The HCF be asked to apply for CTE under Water and Air Acts with all the requisite documents. The HCF be also asked to submit details of column no. 13,14,15,16 & 17 of CTO application, NMR of DG sets, Effluent Analysis Report of STP and deposit balance fee of Rs. 2500/- If the HCF apply for CTE and submit the aforesaid information/ documents and deposit balance fee and found in order, CTE, CTO & Authorisation for 101 beds be granted with the condition that the HCF shall install OLMS with STP within 30 days.

  
(K.S. Jayachandran)  
Chairman

  
(Dr. Sunita Meena)  
MS, Aruna Asaf Ali Hospital

  
(P.S. Panjari), Incharge, WMC-I  
Member

  
(R.K. Sharma), Env. Engineer  
Member

  
(D.K. Srivastava), AEE  
Member

  
(Naresh Kumar Meena), JEE  
Member

38	Saroj Medical Institute	Plot No. 9, Pocket 8-B, Sector 19, Jail Road, Rohini, Delhi-110089	105	Granted	Applied on 30.07.2021	Valid upto 22.07.2024	Yes	35 KLD		The HCF has applied for renewal of CTO on 30.07.2021. It reveals from the OCMMS record that renewal of CTO has been granted on 30.09.2021 with the DSC of EE, WMC-1 which is valid upto 29.07.2026 and the application lies with CMC501. This shows that it has been granted without any approval and decision of BMW committee no. 2 intentionally by someone.	The IT-Cell be asked to change the status of renewal of CTO application of the HCF applied on 30.07.2021 vide ID no. 5617508 from approved to pending and assign it to SEE, WMC-1 for further processing of the same and enquire the matter w.r.t. disposal of above application. A letter may also be issued to the HCF to not to use the renewal of CTO issued on 30.09.2021 on OCMMS portal for any purpose.
39	MGS HOSPITAL	35/37 West Punjabi Bagh Rohatk Road, 110026	70/100	Valid upto 16.12.2022	Valid upto 14.12.2026	valid upto 14.12.2026	Yes	STP-50 ETP-5		As approved in the file, CTE,CTO under Water & Air Acts & authorization under BMWM Rules, 2016 for 100 beds have been issued.	Decesion taken on file is ratified.
40	NEONEST HOSPITAL	A-1/3, PRASHANT VIHAR, NEW DELHI	52	valid upto 12.04.2023	valid upto 15.05.2027	valid upto 15.05.2027	No	STP- 20 ETP- 2		As approved in the file CTE has been issued to the HCF on 22.05.2022.	Decesion taken on file is ratified.
41	ACTION CANCER HOSPITAL (A UNIT OF MANAV SEVARTH TRUST)	A-4,FC 34 H2 PASCHIM VIHAR	130	valid upto 29.10.2022	valid upto 29.11.2026	valid upto 15.12.2026	Yes	600 KLD common with Shri Balaji Action Medical Institute		As approved in the file CTE, CTO & authorization has been issued to the HCF on 22.04.2022.	Decesion taken on file is ratified.
42	Khandelwal Hospital and Urology Centre Pvt.Ltd	B-15,16 East Krishna Naga	70	valid upto 23.12.2022	valid upto 22.12.2026	valid upto 23.12.2026	Yes	40 KLD		As approved in the file CTO has been issued to the HCF on 22.04.2022.	Decesion taken on file is ratified.
43	kukreja hospital	C-1,3,4,14, Vishal Enclave, Rajouri Garden	120	Granted	valid upto 21.01.2027	valid upto 03.01.2023	Yes	50 KLD		As approved in the file CTO has been issued to the HCF on 22.04.2022.	Decesion taken on file is ratified.



(K.S. Jayachandran)  
Chairman



(Dr. Sunita Meena,)  
MS, Aruna Asaf Ali Hospital



(P.S. Pankaj), Incharge, WMC-1  
Member



(R.K. Sharma), Env. Engineer  
Member



(D.K. Srivastava), AEE  
Member



(Naresh Kumar Meena), JEE  
Member



44	SATYABHAMA HOSPITALS PVT. LTD.	RZ-10, NARESH PARK, NAJAFGARH ROAD, NANGLOI, NEW DELHI	55	Granted	valid upto 23.08.2025		Yes	20 KLD		As approved in the file CTO has been issued to the HCF on 03.03.2022.	Decision taken on file is ratified.
45	SUSHILA HOSPITAL ( Run By: Sushila Medical Educational Charitable Trust)	GALI NO.9, GAUTAM COLONY, SAFIABAD ROAD, NARELA, DELHI-110040	111	Granted	valid upto 13.10.2025	Valid upto 22.08.2025	Yes	40 KLD ETP- 5 KLD		As approved in the file, CTO & authorization has been issued to the HCF on 22.11.2022 & 16.12.2022 respectively.	Decision taken on file is ratified.
46	MEDEOR HOSPITAL LTD	HAF, POCKET-B, PHASE-I, SECTOR-12, DWARKA, NEW DELHI-110075	103/ 87	GRANTED	APPLIED ON 20.03.2020 for 87 beds. Valid upto 19.03.2025	VALID UP TO 16.05.2024 ( issued for 100 beds )	Yes	60 KLD		As approved in the file, CTO & authorization has been issued to the HCF on 87 beds.	Decision taken on file is ratified.
47	BM GUPTA HOSPITAL PVT. LTD.	H-9 TO 15, UTTAM NAGAR, NEW DELHI-110059, OTHER, Delhi - 110059	100	Granted	valid upto 18.09.2025	valid upto 10.03.2027	Yes	40 KLD ETP-20 KLD		As approved in the file, CTO & authorization has been issued to the HCF on 24.05.2022.	Decision taken on file is ratified.
48	Ayushman Hospital & Health Services	SECTOR - 10, DWARKA, New Delhi, 110075, Health Care Facility, Delhi - 110075	105	Granted	valid upto 08.05.2027	valid upto 09.05.2027	Yes	75 KLD ETP- 5 KLD		As approved in the file, CTO & authorization has been issued to the HCF on 30.06.2022.	Decision taken on file is ratified.
49	Bhatia Global Hospital & Endosurgery Institute	307-308, Ambica Vihar	58	Granted	valid upto 26.06.2023	valid upto 10.01.2027	Yes	25 KLD		As approved in the file, authorization has been issued to the HCF on 21.07.2022	Decision taken on file is ratified.
50	Goyal Hospital & Urology Centre	E 4/7 4/8 4/9 KRISHNA NAGAR	80	Granted	valid upto 19.12.2024	valid upto 09.06.2026	yes	28 KLD		As approved in the file, authorization & CTO has been issued to the HCF on 20.12.2021 & 21.12.2021 respectively.	Decision taken on file is ratified.
51	Parmanand Special Surgery Hospital	Plot No-1,2, & 3 Park Area, Jamuna Bazar	102	Granted	Valid upto 10.04.2027	valid upto 12.04.2027	Yes	60 KLD ETP-10		As approved in the file, CTE,CTO under Water & Air Acts & authorization under BMW Rules, 2016 for 102 beds have been issued.	Decision taken on file is ratified.

(K.S. Jayachandran)  
Chairman

(Dr. Sunita Meena),  
MS, Aruna Asaf Ali Hospital

(P.S. Panka), Incharge, WMC-I  
Member

(R.K. Sharma), Env. Engineer  
Member

(D.K. Srivastava), AEE  
Member

(Naresh Kumar Meena), JEE  
Member