

PERFORMA FOR TYPED UNDERTAKING FOR CONSENT TO ESTABLISH

I..... S/o Shri.....R/o....., do solemnly affirm and declare as under.

1. That I am.....(Owner/Proprietor/Partner/Director) of the unit, M/s(name and address of the unit) and responsible for establishing the aforementioned unit.
2. That the proposed activity of the aforementioned unit is.....
3. That
 - (a) Products and bye-products (with quantity per day) for the aforementioned unit will be.....
 - (b) Raw materials and chemicals (with quantity per day) to be used in the process/activities for the aforementioned unit will be ...
 - (c) Brief description of manufacturing process:
4. That other details of the aforementioned proposed unit are as under:
 - a) Plot Area.....Sq. meters, Built up Area Sq. meters
 - b) Latitude and longitude of the premises of the unit :
 - c) No. of Workers....., No. of Employee.....
 - d) Electricity LoadKW.
 - e) Date of possession of the land :
 - f) Date of commissioning of construction :
 - g) Date of completion/ proposed date of completion of construction :
 - h) Status of Environment Clearance, under EIA notification (if applicable).....
 - i) Proposed date of commissioning of the activity
 - j) Telephone Nos. (i) Applicant/Deponent (ii) Unit (Work Site)
 - k) Total capital investment proposed for the aforementioned unit in Rupees (in Figures)[.....(in words)] as per following:
 - i. Cost of Land:
 - ii. Cost of Building:
 - iii. Cost of Plant:
 - iv. Cost of Machinery:**Total:**
 - l) Water consumption.....Kilo liters per day and its Source..... (Corporation or Ground Water).
 - m) Trade effluent dischargeKilo liters per day and its mode of disposal. (Sewer or Drain)
 - n) Domestic effluent dischargeKilo liters per day and its mode of disposal.(Sewer or Drain)
 - o) Capacity of D.G. Set (proposed, if any)KVA and its stack height.....in meters above roof of the building.
5. That there will be no trade effluent generation and discharge from the aforementioned unit (applicable only in case of dry unit).
6. That all adequate measures to control water/air pollution from the various processes/ activity treatment shall be taken to meet the prescribed standards in the Environment (Protection) Rules, 1986 as amended to date.
7. That adequate Effluent Treatment Plant (ETP), (if required) shall be provided to meet the prescribed standards.
8. That adequate Emission Control System (ECS), (if required) shall be provided to meet the prescribed standards.
9. That above mentioned proposed DG Set will be having integral acoustic enclosure and norms prescribed under the Environment (Protection) Rules, 1986, as amended to date for diesel generators, shall be complied. Adequate stack height as prescribed for DG Sets will also be provided.

10. That adequate noise pollution control measures shall be taken to meet the prescribed ambient noise standards.

11. That provisions of Environment (Protection) Act, 1986 and Rules made there under, as amended to date, shall be complied.

12. That member ship of the CETP society of the industrial area shall be taken before commissioning of the unit.

13. That the total effluent / sewage of the unit will be discharged through conveyance system of the industrial area which leads / does not lead to CETP (as the case may be).

14. That only approved fuel as per the Notification of the Govt. of NCT of Delhi dated 27.08.1996 will be used.

15. That the aforementioned unit's name and/or plot/address does not figure in any of the lists of 'H' category industries/ Maily Yamuna Case for which Hon'ble Supreme Court/Delhi Pollution Control Committee has passed orders for closures.

16. That in case of any change in the process or activity, a fresh application for consent shall be submitted. An application for renewal of consent shall be submitted to DPCC one month in advance of the date of expiry of the consent granted by the DPCC.

I hereby verify that what has been stated above is true and correct to the best of my knowledge, and nothing has been concealed therefrom. That, I agree to the automatic nullification of my request for consent/authorization/ registration of my unit. I hold myself liable for perjury, falsehood, misrepresentation and/or omission and /or falsification or act of dishonesty for any fraudulent, fake or tampered documents that have been submitted.

Applicant

Note: (i) Undertaking must be submitted in typed format only and cutting/ overwriting/ use of white fluid shall make the undertaking null and void.

(ii) Please omit the para(s) whichever is/ are not applicable w.r.t. your unit.