



**DELHI POLLUTION CONTROL COMMITTEE**  
**DEPARTMENT OF ENVIRONMENT, GOVT. OF DELHI**  
**4<sup>th</sup> & 5<sup>th</sup> FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06**  
visit us at : <http://dpcc.delhigovt.nic.in>

F.No. DPCC/Lab(W)/2018/1416

Dated: 11/10/2018

To,  
**SEE (IT)**  
**DPCC**  
(To upload on the DPCC website)

**Sub:** Quotation for the purchase of COD Digester.

Sir,  
Sealed quotations are invited for the purchase of COD Digester (20 holes). Specifications for the instrument is enclosed with quotation letter. Quotation must be reach to this office latest by 22.10.2018 by 4.00 PM at enquiry counter, 6<sup>th</sup> Floor, ISBT Building, Kashmere Gate, Delhi.

**Terms and Conditions:**

1. The Agency must Produce/ enclose registration certificate of GST.
2. The Specification mentioned in the quotation are fixed and no variation in the same shall be accepted.
3. The sealed envelope containing quotation shall be super scribed in the top of the envelope, "Quotation for the purchase of (Name of Instruments).
4. The rates should quoted for each item in the category exclusive of taxes as applicable.
5. Any item supplied of inferior quality shall be replaced without any extra charge.
6. The material should be supplied on F.O.R. basis.
7. Failure to supply the items within stipulated time shall be viewed seriously & the earnest money shall be forfeited.
8. The payment shall be made after the receipt of material / Instruments.

The Competent Authority, DPCC reserve the all right to reject or accept any quotation without any reason thereof.

4365/IT(01)  
11/10/18  
12/10/18  
17/10/18

*[Signature]*  
12/10/18

EE/IT

SA, IT

*[Signature]*  
16/10/18

*N. Moitra*  
(Dr. Nandita Moitra)  
Senior Scientist  
Dr. NANDITA MOITRA  
Senior Scientist  
Delhi Pollution Control Committee  
5th Floor, ISBT Building,  
Kashmere Gate, New Delhi-110006