



DELHI POLLUTION CONTROL COMMITTEE

Water Laboratory

5th Floor, I.S.B.T. Building, Kashmere Gate Delhi-6

visit us at : <http://dpcc.delhigovt.nic.in>

File No: *Dpec/la/W/2017/1556(A)*

Dated: *06/03/2017*

Subject: Quotation for sample collection and analysis of waste water.

Sir,

DPCC is planning to assess the waste water quality of Najafgarh, Supplementary drains and Sub-drains falling into both main drains. In this regard, sealed quotations are invited for the sample collection and analysis of following parameters:

- 1) Volume/ Discharge
- 2) Water temperature
- 3) pH
- 4) Conductivity
- 5) Turbidity
- 6) Total Suspended Solids
- 7) Alkalinity
- 8) BOD
- 9) DO
- 10) Total Kjeldahl Nitrogen
- 11) Ammonical Nitrogen
- 12) Nitrate Nitrogen
- 13) Total Phosphorus
- 14) Ortho Phosphorus
- 15) Fecal Coliforms
- 16) Total Coliforms

The rate quoted shall be per sample basis. Quotation should comprise of sample collection charges, testing charges, transportation and report preparation including trend analysis with coloured graphical presentation. The rate shall be inclusive of all taxes. The outer envelope shall subscribe as "Quotation for sample collection and analysis of waste water" and addressed to Laboratory Incharge, DPCC, 5TH Floor, I.S.B.T Building, Kashmere Gate, Delhi-110006.

33A/IT/17
7-3-17 Last date of submission of quotation is *14/03/2017*.

Copy to

SEE(IT) – to upload on the website

(MoEF Recognized laboratories of neighboring areas of Delhi may also apply)

N. Mitra
Dr. Nandita Moitra
(Sr. Scientist)
Dr. NANDITA MOITRA
Senior Scientist
Delhi Pollution Control Committee
4th & 5th Floor, ISBT Building
Kashmere Gate, New Delhi-110006

upload
06/3/17
TE(I-1)
uploaded on dpcc website

Deepika
7/3/17

TE(IT)