



DELHI POLLUTION CONTROL COMMITTEE
4th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F.No. DPCC/WMC-II/2016/26th Meeting/ 558

Dated: - 23/3/2016

Subject: Minutes of 26th Meeting of the Committee for deciding applications of Consent to Establish/Operate, Renewal of Consent to Operate under the Air and Water acts, Authorizations under the HWM Rules and the MSW Rules held on 11.03.2016.

Sir,

Please find enclosed herewith the Minutes of 26th Meeting of the Committee headed by Chairman, DPCC for deciding applications of Consent to Establish/Operate, Renewal of Consent to Operate under the Air and water acts, Authorizations under the HWM Rules and the MSW Rules held in the conference room of Chairman, DPCC on 11.03.2016.

Yours faithfully

(B.L. Chawla)
S.E.E.(WMC-II)

To,

1. LPA to Chairman, DPCC for information to Chairman please

2. Member Secretary, DPCC.

3. Dr. S.K. Gupta, Professor, Department of Chemical Engineering, Indian Institute of Technology, Delhi, Hauz Khas, New Delhi-110016.

4. Dr. A. K. Nema, Professor, Department of Civil Engineering, Indian Institute of Technology, Delhi, Hauz Khas, New Delhi-110016.

5. Dr. Anil Kumar, Director, Environment Deptt. Govt. of NCT of Delhi.

6. Environment Engineers WMC-II

Copy to:

1. Incharge Enquiry Counter & IT Cell for placing the aforementioned minutes of the Committee on website of DPCC.

2. Account Officer, DPCC, For requisite payment to members for attending the said meeting

Subject: Minutes of 26th Meeting of the Committee headed by Chairman, DPCC for deciding applications of Consent to Establish/Operate, Renewal of Consent to Operate under the Air and water acts, Authorizations under the HWM Rules and the MSW Rules held on 11.03.2016.

List of members who attended the meeting is enclosed as Annexure-A.





Officials of IL & FS were present in the meeting with their presentation w.r.t their new coming Construction & Demolition waste projects at (i) CharaMandi Ground, Baba Haridas Nagar, NH10, Near Tikri Border Metro Station, Delhi, (ii) DMRC site, Madanpur Extension, near Rani Khera, Main Road, Village Rani Khera, Mundaka, Delhi and (iii) Bhagat Singh Park, Siraspur, Libaspur, GT Karnal Road, Delhi (listed at S.No. 2,3,4 of Agenda 1). Decisions are as recorded in the last column of the list annexed herewith.

The image shows several handwritten signatures and initials. On the left, there is a signature that appears to be 'D. D.' with a horizontal line underneath. To its right is another signature that looks like 'Anil Kumar'. Further right is a large, stylized signature that could be 'S. M.'. Below these, there are some smaller handwritten marks, including a circle with a dot and the number '17/3'.

ATTENDANCE SHEET

Subject:- 26th CONSENT MANAGEMENT COMMITTEE (WMC-17)

Date of Meeting:- 11/03/2016

Sl. No	Name of the Officer with Designation	Name of Department	Mobile Number	E-mail ID	Signature
1	Sh. Ashwani Kumar Secretary (Env)- cum - Chairman DPCC				
2	Kulnand Joshi Member Secretary	DPCC	9717593501	msdpcc@nic.in	 11/3/16
3	Dr. Anil Kumar Director	Environment			 11/3/2016
4	B.L. CHAWLA SEE	DPCC			
5	SANJAY VATHS SE	DPCC			
6					
7					
8					

ATTENDANCE SHEET

Date:- 11/03/16


S.No	Name & Designation	Mobile	Email	Sig
1	Sanjay Singh, VP (Ops)	9803304482	Sanjay@kpsindia.com	Sanjay
2	Sandeep Kumar Manager	8876822229	Sandeep.kumar@kpsindia.com	Sandeep

Agenda 1- Cases of MSW (Compost, Poultry WTE) : 26th Consent Committee Meeting(Orange) held on 11.03.2016

No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Authorisation Status under MSW Rules	Brief of the case/ Action taken	Decision on 13.10.2015	ATR w.r.t. decision of 13.10.2015	Decision on 11.03.2016
1	East Delhi Waste Processing Company Limited(IL & FS Waste to Energy Project), Gazipur, Delhi-110096	Adjacent to Veterinary Hospital, Behind Gazipur DDA Flats, Gazipur, Delhi-110096	CTE(Extension) - 11.12.2014 CTO- 09.12.2015	CTE(Extension) -9632	Waste to Energy Plant	CTE(Extension) granted on 30.4.15 and valid till 10.12.2015 CTO- 12635		Inspection of the Plant was carried out by High Power Inspection Team constituted by NGT in the matter pending before the Hon'ble NGT with regard to the application filed by Sukhdev Vihar resident Welfare Association against the operation of the W2E plant in close proximity of Sukhdev vihar. The High Power team has given the following recommendations:(1) The plant operator shall submit compliance of all the conditions of Environmental Clearance issued by MoEF&CC and Consent to Establish issued by DPCC within 15 days.(2) In order to facilitate stack emission monitoring, the plant operator shall provide appropriate permanent arrangement for safe and easy access to the sampling port on Stack within 3 months (3). The plant Operator shall take requisite measures to control dust emissions in plant area within 15 days. Internal roads in plant area shall be completed within 3 months.(4). Continuous emission monitoring system should be calibrated within 15 days and the data shall be made available to general public and at DPCC/CPCB portal. (5) The team constituted by Hon'ble NGT/DPCC need to carry stack monitoring of emissions of then plant at the earliest. For this purpose, the plant operator should communicate its readiness in terms of provision for a safe platform for collecting samples. Plant has submitted a stack analysis report that shows it is meeting the air emission standards			During trial run monitoring of data by DPCC is very crucial. The consent to operate can be given only after results of trial run whether plant is able to meet the standards. <u>The plant is therefore allowed to operate for trial run for two months subject to its prior compliance with regard to deficiencies/observations noted by High Power Inspection Team constituted by NGT in the case before the Hon'ble NGT filed by Sukhdev Vihar resident Welfare Association and subject to prior functional installation of OLMS along with link for uploading data to DPCC on real time basis. After satisfactory trial run, application for consent to Operate will be considered by DPCC. Further, it is also informed that the project proponent will be required to furnish bank guarantee of Rs. 5.00 lakh (Rs. Five lakhs only) for considering CTO once and if this trial run is successfully completed. Bank Guarantee will be liable for forfeiture for non compliance of the emission norms. Project proponent shall recoup the bank guarantee accordingly and immediately.</u>

21/3/16

Amir


 21.3.16
 (Kulanand Joshi)
 Member Secy, DPCC

[Signature]

[Signature]

Agenda 1- Cases of MSW (Compost, Poultry WTE) : 26th Consent Committee Meeting(Orange) held on 11.03.2016

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Authorisation Status under MSW Rules	Brief of the case/ Action taken	Decision on 13.10.2015	ATR w.r.t. decision of 13.10.2015	Decision on 11.03.2016
2	IL & FS Environmental Infrastructure and Services Limited, Chara Mandi Ground, Baba Haridas Nagar, NH10, Near Tikri Border Metro Station	Chara Mandi Ground, Baba Haridas Nagar, NH10, Near Tikri Border Metro Station, Delhi	CTE-15.2.2016	CTE-13675	Construction and Demolition waste processing	Applied for CTE		The unit intends to process Construction and Demolition waste processing of 500 T/day. Plot Area is 10600 sqm, Date of possession of land : 25.01.2016. The land has been handed over by PWD to the Unit for 126 months in total. No documents have been submitted in context of conformity w.r.t. Master Plan of Delhi.	Ask the unit to submit the proof of land ownership to rule out the possibility of land belonging to Government. Issue Authorization if the land ownership is not of the Government.	Letter issued on 18.2.2016. Reply awaited.	1. Presentation was given by official of IL & FS Environmental Infrastructure and Services Limited regarding three up-coming plants. The plants are of same type as set up at Shastri Park by the same company in terms of provision for dust control measures. 2. It was noted that there are habitation next to the sites, It was conveyed by the project proponent that the residents/villagers living adjacent to the sites have not been consulted in a formal manner regarding establishment of C & D waste processing facility. It is essential that any issue with respect to habitation is sorted out at this stage itself rather than getting bogged down midway later. In view of this the project proponent is required to furnish the outcome of formal interaction with habitants. 3. The project proponent has also not furnished as to whether the proposed sites are in conformity to Master Plan Delhi 2021. No intimation about the land use has been conveyed in their application submitted to the department. 4. The project proponent stated that such plants are operational in U.K. with the same technology. However it is not clear whether such plants having dust control norms as proposed are also located next habitation in U.K. It may therefore be clarified by the way of google map whether habitation around the plant in U.K. is at the same distance as in the case of proposed projects. 5. The project proponent is required to furnish air quality test reports inside the Shastri Park Plant and at habitation facing that plant to prove that air quality at the habitation has not deteriorated. 6. If the Project proponent is unable to furnish the aforesaid information within four weeks, the Consent application (CTE) will be rejected on ground that satisfactory arrangement for dust control have not been planned/ensured. In case the information is made available the committee will again meet in first week of May 2016 for taking a decision. If the project proponent is not confident about adequacy of dust controls measures, it is free to change the site in accordance to MPD 2021 at any time. 7. Further in all such projects, the Project Proponent should furnish Bank Guarantee of Rs 5 lakhs to guarantee that the ambient air quality at the habitation next to it will not fall. Bank Guarantee be submitted along with the application for consent of operate. Bank Guarantee will be liable for forfeiture for non compliance of the emission norms. Project proponents shall recoup the bank guarantee accordingly and immediately
3	IL & FS Environmental Infrastructure and Services Limited, DMRC site, Madanpur Extension, near Rani Khera, Main Road, Village Rani Khera, Mundaka	DMRC site, Madanpur Extension, near Rani Khera, Main Road, Village Rani Khera, Mundaka, Delhi	CTE-11.12.2015	CTE-12664	Construction and Demolition waste processing	Applied for CTE		The unit intends to process Construction and Demolition waste processing of 150 T/day. Plot Area is 12059 sqm, Date of possession of land : 06.11.2015. The land has been handed over by DMRC to the Unit. No documents have been submitted in context of conformity w.r.t. Master Plan of Delhi.			
4	IL & FS Environmental Infrastructure and Services Limited, Siraspur, Libaspur, GT Karnal Road	Bhagat Singh Park, Siraspur, Libaspur, GT Karnal Road, Delhi	CTE-02.03.2016	CTE-13812	Construction and Demolition waste processing	Applied for CTE		The unit intends to process Construction and Demolition waste processing of 500 T/day. Plot Area is 10800 sqm, Date of possession of land : 09.02.2015. The land has been handed over by PWD to the Unit. No documents have been submitted in context of conformity w.r.t. Master Plan of Delhi.			

DMF

Shree...

24/3/16

[Signature]

[Signature]

Agenda 1- Cases of MSW (Compost, Poultry WTE) : 26th Consent Committee Meeting(Orange) held on 11.03.2016

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Authorisation Status under MSW Rules	Brief of the case/ Action taken	Decision on 13.10.2015	ATR w.r.t. decision of 13.10.2015	Decision on 11.03.2016
5	IL & FS Environmental infrastructure and services Limited Shastri Park	Shastri Park	10.07.2015-CTE 29.10.2015-CTO	11269-CTE 12246-CTO	Construction and Demolition waste processing	10.07.2015-CTE (Extension), 29.10.2015-CTO	NA	Unit is processing Construction and Demolition Waste. It has applied for CTO on 29.10.2015. Inspection of Unit was carried out on 27.02.2016 and a fine of Rs. 50,000 was imposed for not controlling dust emissions. SCN have also been issued to EDMC and DDA for the heap of C& D waste outside the plant without any dust control measures. Meeting was convened on 08.03.2016 with officials of unit, DDA and EDMC. Inspection was again carried out on 09.03.2016 and it was observed that the unit has started taking steps to control dust emissions but further steps need to be taken to control dust emissions like providing more sprinklers, installing barriers to control air emissions.	Extension granted.	Unit has applied for CTO on 29.10.2015 and hence CTE extension was not issued. It may be treated as null and void. Inspection of Unit was carried out on 27.02.2016 and a fine of Rs. 50,000 was imposed for not controlling dust emissions. SCN have also been issued to EDMC and DDA for the heap of C& D waste outside the plant without any dust control measures. Meeting was convened on 08.03.2016 with officials of unit, DDA and EDMC.	Unit is carrying out the processing of construction and demolition waste. Regular complaints are received regarding the dust pollution caused by this plant. Earlier a fine of Rs. 50,000 was imposed for not controlling dust emissions. A meeting was convened with officials of the plant, EDMC and DDA on 08.03.2016 regarding dust control measures at the plant and the surrounding heap. Inspection on 09.03.2016 revealed that unit still has not taken adequate measures to control dust emissions. Representative of the unit during the meeting has sought four weeks time to control dust emissions. It was decided that adequate dust control measures shall be taken within four weeks and the unit will submit the test report of ambient air quality at habitation facing the plant and the nearby colony to demonstrate that quality of air at habitation colony does not deteriorate due to operation of the plant. Application for Consent to Operate the plant shall be decided later, accordingly.







Agenda 1- Cases of MSW (Compost, Poultry WTE) : 26th Consent Committee Meeting(Orange) held on 11.03.2016

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Authorisation Status under MSW Rules	Brief of the case/ Action taken	Decision on 13.10.2015	ATR w.r.t. decision of 13.10.2015	Decision on 11.03.2016
6	Timarpur-Okhla Waste Management Company Pvt.Ltd	Old NDMC Compost Plant, Behind CRRI, Mathura Road, Delhi	25.09.2014 (Orange / Renewal) and 21.10.2011	9132 / 38325	Processing and Disposal Of 1300 TPD Of MSW Supplied by NDMC and MCD, GNCTD N Delhi and 225 TPD of RDF. (Power generation =16 MW)	CTO under Air/Water Acts was issued on 21.12.2011 for three months, extended on 19.04.2012, 02.07.2012 and on 20.11.2012 which was valid upto 20.03.2013	Authorisation under MSW Rules applied on 25.09.2014	The matter is pending before the Hon'ble NGT with regard to the application filed by Sukhdev Vihar resident Welfare Association against the operation of the plant in close proximity of Sukhdev vihar. A High Power Inspection Team was constituted by NGT for carrying out inspection. The High Power team has carried out the inspection and given the following recommendations:(a) Plant Operator shall install temperature probes in the boiler system to capture temperature at the two relevant ends of the flow to confirm that temperature is at optimal limit required for neutralizing noxious substances (dioxins & furans). Contd....	The Committee discussed the stack monitoring report carried out since the beginning of 2015 till date of meeting. It was noted that on few occasions the particulate matter has been more than 75 mg/Nm ³ . The plant operator has not yet submitted a time bound action plan to reduce particulate matter emission to 30 mg/Nm ³ , as directed by the Appellate Authority in Ministry of Environment, Forest & Climate Change, GOI. Petition of Sukhdev Vihar Residence Welfare Association against the plants is still pending before Hon'ble NGT which has been directing from time to time to conduct the monitoring of the emission from the plant. The committee noted that the segregation of waste before it is fed into boiler is essential for maintaining the required emission parameters. If the plastic material is burnt, it may result in hazardous emissions. If the temperature is less than the optimum, it results in formation of Dioxine / Furan. The Committee however, noted that Waste to Energy Plant, inter-alia has to be an option for dealing with large amount of solid waste generated in Delhi.	Letter issued. The unit has submitted an action plan to meet the particulate matter emission by December 2016. A letter also has been issued in view of the recommendations of High Power inspecting team deputed by Hon'ble NGT.	Sh. BL.Chawla SEE informed the Committee that the Waste to Energy Plant operator has submitted an action plan to bring down the particulate matter emission limit to 30 mg/Nm ³ by December 2016. It was noted that Waste to Energy plant is an effective way to deal with MSW. However its impact on environment also needs to be addressed. As such, it has been decided that the plant must implement the plan of action and ensure segregation of waste, and proper functioning of OLMS including direct upload of emission parameter as well as temperature on real time basis to DPCC server and on to public domain. Further the unit will implement and abide all the recommendations of High Power Inspection Team constituted by Hon'ble National Green Tribunal/directions of DPCC in time targeted manner and bring down particulate matter emission limit to 30 mg/Nm ³ before 31.12.2016. CTO will be considered only after the plant is in full compliance of the standards. For transitional period, till 31.12.2016, however the plant may operate on provisional basis and improve its emission standards as per direction of DPCC/ Hon'ble NGT.

Agenda 1- Cases of MSW (Compost, Poultry WTE) : 26th Consent Committee Meeting(Orange) held on 11.03.2016

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Authorisation Status under MSW Rules	Brief of the case/ Action taken	Decision on 13.10.2015	ATR w.r.t. decision of 13.10.2015	Decision on 11.03.2016
								<p>This temperature data should also be linked with existing online monitoring system to make it available to the public as well as DPCC on real time basis.(b) To achieve continuous compliance in the emission standards as prescribed. The plant has to ensure effective segregation of municipal solid waste, uniform feed in boilers and regular upkeep of bag filters.(c) Effective segregation of municipal solid waste is also necessary to enhance the efficiency of the plant, achieve complete combustion of waste, reduction in volume of bottom ash and thereby reduction in requirement of landfilling the bottom ash.(d) Bottom ash and inert material shall also be used for utility products to reduce burden on landfill sites.</p>	<p>However, segregation of waste and maintenance of adequate level of temperature to neutralize the noxious emission is also very important.</p> <p>In view of the above, the Committee decided that Waste to Energy Plant operator shall take action to bring down the particulate matter emission limit to 30 mg/Nm³ by 30th September, 2016 and shall also furnish to DPCC a time bound action plan (PERT chart) in this regard by the end of February, 2016. In fact, the Appellate Authority in MOEF & CC, GOI has already fixed time line to meet PM emission limit to 75 mg/Nm³ vide its order dated 03.08.2015. Action plan should include the activity of segregation of solid waste before it is fed into the boiler. Further, Plant Operator shall install temperature probes in the boiler system to capture temperature at the two relevant ends of the flow to confirm that temperature is at optimal limit required for neutralizing noxious substances (dioxin / furan). This temperature data should also be linked with online monitoring system to make it available to the public as well as DPCC on real time basis. Apart from this, the operator will also utilize the fly</p>		











Agenda 1- Cases of MSW (Compost, Poultry WTE) : 26th Consent Committee Meeting(Orange) held on 11.03.2016

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Authorisation Status under MSW Rules	Brief of the case/ Action taken	Decision on 13.10.2015	ATR w.r.t. decision of 13.10.2015	Decision on 11.03.2016
7	Delhi Municipal Solid Waste Solutions Ltd	Narela Bawana Road, Delhi-39	17.06.2014	36927	Composting, RDF and material recovery facility, Engineered sanitary landfill. (Processing & Disposal of MSW= 3000 TPD)	CTO extended on 13.07.2012 valid upto 12.11.2012	Authorisation under MSW Rules is extended on 13.07.2012 for the period of six months i.e upto 12.11.2012	<p><u>Unit is carrying out processing of municipal solid waste and is producing compost. Inspections were carried out earlier on 13.03.2015 and 20.10.2015 and following major deficiencies were observed:-</u></p> <ol style="list-style-type: none"> 1. ETP for leachate treatment was found defunct, dozing tanks were dry and defunct and leachate was being bypassed through Kachha drain. 2. Leachate drains around open windrow area found broken and no proper leachate collection observed. Drains as well as sump were found filled with solid/ dried mud. 3. Foul smell observed at site where the leachate is being discharged in Kachha drain without treatment. 4. NDMC clearance for the site not provided. <p>SCN u/s 33(A) of the Water Act and SCN for Refusal of the Consent were issued on 16.04.2015 and on 02.12.2015 for deficiencies observed during inspection. Reply has been received that deficiencies have been rectified.</p>	Carry out the inspection	Inspection carried out and deficiencies found during previous inspection rectified.	CTO and Authorization for Compost Plant granted.







Agenda 1- Cases of MSW (Compost, Poultry WTE) : 26th Consent Committee Meeting(Orange) held on 11.03.2016

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Authorisation Status under MSW Rules	Brief of the case/ Action taken	Decision on 13.10.2015	ATR w.r.t. decision of 13.10.2015	Decision on 11.03.2016
8	Elephant Energy Pvt. Limited	NDMC Khatta Ring Road, Raj Nagar, New Delhi-110023	11.06.2015-CTE	50305	Waste to Energy Plant	11.06.2015- Applied for CTE	NA	The Unit intends to generate electricity to the extent of 1.7 KWH. The raw materials will be 70tpd of MSW and PNG of 100 kg/day. Unit has not submitted EC along with the application. It is claimed that power generation is less than 15 MW for exemption of EC. However, all MSW projects are covered as per EIA Notification.	In first instance write a letter to NDMC to seek their view on the project as the project is sought to be located in the heart of city. If NDMC is still supporting the project, then the following information will be called from Project Proponent:- a.) Environmental Clearance, b) Technology approval from CPCB c) Permission from other Authorities as prescribed in the MSW Rules.	Letter issued on 18.02.2016. Reply awaited.	Place the case in next meeting.

Don → Auckey






2/1/13

[Handwritten signature]

[Handwritten signature]

Agenda 1- Cases of MSW (Compost, Poultry WTE) : 26th Consent Committee Meeting(Orange) held on 11.03.2016

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Authorisation Status under MSW Rules	Brief of the case/ Action taken	Decision on 13.10.2015	ATR w.r.t. decision of 13.10.2015	Decision on 11.03.2016
9	Delhi Agricultural Marketing Board	Poultry & Egg Market, Ghazipur (NC-E)	16.12.2013 (Orange / Operate)	6153	Poultry and Egg Market, Ghazipur	Applied for Consent to Operate on 16.12.2013. CTO granted till 15.12.2014 with condition to submit complete action plan for the modernization of Poultry within 6 months and also to apply for Authorisation under MSW Rules	Applied on 04.03.2015.	CTO was granted on 11.07.2014 for the validity till 15.12.2014 with the condition to submit complete action plan for the modernization of Poultry within 6 months and to apply for Authorisation under MSW Rules. No response was submitted for modernization of the plant. Meetings were convened regarding time target plan but no time target action plan was submitted.	The CEO of the Organization and the official responsible for operating the poultry market be informed that there will be no option but to proceed for taking action to initiate prosecution and hence be requested to furnish a time bound action plan.	Letter issued on 25.02.2016. Reply awaited.	Place the case in next meeting.

Agenda 1- Cases of MSW (Compost, Poultry WTE) : 26th Consent Committee Meeting(Orange) held on 11.03.2016

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Authorisation Status under MSW Rules	Brief of the case/ Action taken	Decision on 13.10.2015	ATR w.r.t. decision of 13.10.2015	Decision on 11.03.2016
10	Chintan Environmental Research and Action Group	Gazipur Dairy Farm	26.08.2014	Nil	Aerobic Composting of Organic Waste	Not applied	Applied for Authorisation under MSW Rules, 2000 on 26.08.2014	<p>Inspection of site was conducted on 9.3.2015 by DPCC officials. Following were the observations:</p> <p>1.The compost plant is in operation having one OWC & 6 pits.2.The food waste is taken from hotels.3. Plant is located in Gazipur Dairy Farm.</p> <p>A letter issued on 28.05.2015 to provide proof of possession of land and site clearance (from local authority)/confirmation of land.</p>	Extension granted.	Extension granted.	Place the case in next meeting.

Don

Amber

BHB

Gene

3

Agenda 2- Cases of Authorization under HWM Rules: 26th Consent Committee Meeting(Orange) held on 11.03.2016

No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Authorisation Status	Brief of the case/ Action taken	Action Taken Report w.r.t. 13.10.15	Decision on 11.03.2016.
1	Bharat Oil & Waste Management Ltd	Village-Kumbhi, Tehsil-Akbarpur, District-Kanpur-Dehat, Uttar Pradesh	24.12.2014	9754	Collection & transportation of Incinerable Hazardous Waste at its Kanpur(UP), TSDF site	Not applicable	Applied for	Unit has applied for Autorisation under HWM Rules, 2008 for Collection & Transportation of Incinerable Hazardous wastes generated in NCT of Delhi and treatment at its TSDF site at Kanpur(U.P.) .The unit is having its TSDF facility at Kumbhi,Akbarpur, Kanpur,Uttar Pradesh. UP Pollution Control Board has granted permission on 04.03.2014 for inter-state transportation of incinerable waste from 06 states viz.Punjab,Delhi,Rajashtan,H.P., Haryana & Bihar.	Letter was earlier issued on 16.07.2015, Reply has been received on 28.07.2015 and 16.09.2015 wherein it has been informed that UP pollution Control Board has not fixed any rates or quantity of the hazardous wastes lifted by the Units.Reply has also been received from UP Pollution Control Board and they have informed that they have not specified any rate regarding collection and disposal of hazardous waste by common TSDF operators in UP. As decided in meeting letter issued on 23.02.2016. The unit has submitted reply on 09.03.2016 wherein it has informed that UP Pollution Control Board has not fixed any rates and rates depend on several factors including calorific value, type of waste, quantity of waste etc.	As decided in last meeting fixing charges by DPCC will be a difficult task. However it is also correct that the industrial units should not be charged unfairly by the hazardous waste management unit once DPCC issues the authorization. Hence the Unit may be asked to inform DPCC about the methodology of charging its clients in Uttar Pradesh. The unit may also be asked to give a list of rates that it charges from its clients in Uttar Pradesh for different activities and processes depending upon the quantity, amount, Calorific Value, transportation etc. DPCC should also obtain the aforesaid information from UPPCB separately.

Agenda 2- Cases of Authorization under HWM Rules: 26th Consent Committee Meeting(Orange) held on 11.03.2016

No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Authorisation Status	Brief of the case/ Action taken	Action Taken Report w.r.t. 13.10.15	Decision on 11.03.2016.
2	Ramky Enviro Engineers Ltd, N-1, Sector 5,	Village- Kumbhi, Tehsil- Akbarpur, District- Kanpur- Dehat, Uttar Pradesh	23.01.2015	9967	Collection & transportation of Incinerable Hazardous Waste	Not applicable	Applied for	Unit has applied for Autorisation under HWM Rules, 2008 for Collection & Transportation of Incinerable Hazardous wastes generated in NCT of Delhi and treatment at its TSDF site at Kanpur(UP). The unit is having its TSDF facility at Kumbhi, Akbarpur, Kanpur, Uttar Pradesh. UP Pollution Control Board has granted permission on 06.03.2013 for inter-state transportation of Incinerable Waste from 06 states viz. Punjab, Uttarakhand, Delhi, Rajasthan, HP & Haryana.	Letter was earlier issued on 16.07.2015, Reply has been received on 28.07.2015 and 16.09.2015 wherein it has been informed that UP pollution Control Board has not fixed any rates or quantity of the hazardous wastes lifted by the Units. Reply has also been received from UP Pollution Control Board and they have informed that they have not specified any rate regarding collection and disposal of hazardous waste by common TSDF operators in UP. As decided in meeting letter issued on 23.02.2016. The unit has not submitted any reply till date	As decided in last meeting fixing charges by DPCC will be a difficult task. However it is also correct that the industrial units should not be charged unfairly by the hazardous waste management unit once DPCC issues the authorization. Hence the Unit may be asked to inform DPCC about the methodology of charging its clients in Uttar Pradesh. The unit may also be asked to give a list of rates that it charges from its clients in Uttar Pradesh for different activities and processes depending upon the quantity, amount, Calorific Value, transportation etc. DPCC should also obtain the aforesaid information from UPPCB separately.

