



DELHI POLLUTION CONTROL COMMITTEE  
DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT OF DELHI)  
4TH FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-6  
visit us at : <http://dpcc.delhigovt.nic.in>

F.NO DPCC/WMC-II/27<sup>th</sup> Meeting/2016/ 1979

Dated: - 30/5/2016

Subject: Minutes of 27<sup>th</sup> meeting of the Committee headed by Chairman, DPCC for deciding application of Consent to Establish/ Operate, Renewal of Consent to Operate under the Air and Water Acts. Authorizations under the HWM Rules and the MSW Rules held on 10.05.2016.

Sir,

Please find enclosed herewith the Minutes of the 27<sup>th</sup> meeting of the aforementioned Committee held in the Conference Room of Chairman, DPCC, at Delhi Secretariat on 10.05.2016.

Yours faithfully

(B. L. Chawla)

Sr. Env. Engineer (WMC-II)

Mob: 9717593516

To,

1. Member Secretary, DPCC
2. Prof. S.K. Gupta Chemical Engg. Deptt. IIT, HauaKhas Delhi-16.
3. Dr. A.K Nema, Professor, Civil Engg. Deptt. IIT Hauakhas Delhi-16
4. Dr. Anil Kumar, Director. Deptt of Environment Govt of NCT of Delhi.
5. Environmental Engineers of WMC-II

Copy for information to:

1. PS TO Chairman, DPCC- for the kind information to Chairman, DPCC please.
2. In-charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the Committee on the website of DPCC.
3. Account Officer, DPCC for requisite payment to members for attending the said meeting.

Agenda 2—Cases of CTEPs : 27th Consent Committee Meeting(Orange) to be held on 10.05.2016

Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status [CTE/CTO/CTD(R)]	Category (SPI/N on SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision dated 10.05.2016
1 Badli CEIP (12 MLD)	Behind Suraj Park, Sec-18, Rohini.	10.03.2015	10308	CETP	CTO (R)	Non SPI	Applied for renewal of Authorization on 11.03.2016, Id- 13954 for Spent acid/acid residue.	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CEIP on 14.03.2014 to submit BG of 25 % of the cost of on line monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLMS. But the same was not installed Further, directions issued for extension of time for installation of on line monitoring system with condition to submit BG of 100% cost of system. OLMS has not been installed yet. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015, if OLMS are not installed by 30.06.2015. Special Committee comprising of CPCB, Industries Department, DPCC & DSIIDC Constituted by Hon'ble NGT order has recommended to optimize the CETPs by conversion of CETPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units in conveyance system, removal of deficiencies observed etc. Applied for renewal of Authorization on 11.03.2016, Id-13954 for Spent acid/acid residue.	Results of January 2016 Outlet: Not meeting the standards w.r.t. Pb. Results of February 2016 Outlet: Meeting the standards.	SCN for initiation of prosecution for the violation of the directions U/s of Water Act, 1974 was issued on 01.09.2015 for not installing the Online Monitoring System. Reply was received on 20.10.2015 Letter was issued on 16.02.2016 for the compliance of the directions u/s 18(1) (b) regarding installation of continuous effluent monitoring system. No reply received yet. Online Monitoring system has not been installed yet.	Issue a letter to install the Online Monitoring system (OLMS) latest by 10.06.2016 and submit progress report regarding the progress made in installation of OLMS by way of photographs, receipt of the work order etc. CETP society may be informed that in case of their failure to install the OLMS within stipulated time frame, DPCC will be left with no other option but to ask Industries Department/ DSIIDC for making alternate arrangement which may include taking over the operation of CETP. Issue letter to DSIIDC for conversion of CETPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, and ask for submission of time targeted action plan by 30.06.2016. Also a letter to CETP society for removal of deficiencies observed etc.

(Kuldeep Joshi)  
Special Secretary (Environment),  
Member Secretary (DPCC)  
Govt. of NCT of Delhi

B.L. Chandra  
SEE


Amol


(M. Siddiqui)


(Sanjay Vats)


**Agenda 2- Cases of CTEPs: 27th Consent Committee Meeting(Orange) to be held on 10.05.2016**


S. No	Name of Unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status [CTE/ CTO/ CTO(R)]	Category (SPI/N on SPI)	Authorization Status (Fresh/ Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
2	Naraina CETP (21.6 MLD)	Near Flyover CB Area Ring Road, Naraina	02.03.2015	10266	CETP	CTO (R)	Non SPI	Valid upto 31.03.2015. Applied for renewal on 02.03.2015.	<p><b>On Line Monitoring System(OLMS):</b>                      In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of on line monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB &amp; DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLMS. But the same was not installed.Further, directions issued for extension of time for installation of on line monitoring system with condition to submit BG of 100% cost of system. OLMS has not been installed yet. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015.if OLMS are not installed by 30.06.2015.Society represented on 26.04.2015 &amp; 7.5.2015 raised doubts on compatibility/suitability of OLMS etc.</p> <p>Special Committee comprising of CPCB, Industries Department, DPCC &amp; DSIIDC constituted by Hon'ble NGT order has recommended to optimize the CETPs by conversion of CETPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, removal of deficiencies observed etc.</p>	<p><b>Results of February 2016</b>                      Outlet: Not meeting the standards w.r.t. Pb.</p> <p><b>Results of March 2016</b>                      Outlet: Meeting the standards.</p>	<p>Letter was issued on 16.02.2016 for the compliance of the directions u/s 18(1) (b) regarding installation of continuous effluent monitoring system.</p> <p>Reply was received on 04.03.2016. CETP society requested for excise duty exemption certificate so that they can take OLMS delivery at the earliest.</p> <p><b>Online Monitoring system has not installed yet.</b></p>	<p>Issue a letter to install the Online Monitoring system (OLMS) latest by 10.06.2016 and submit progress report regarding the progress made in installation of OLMS by way of photographs, receipt of the work order etc. CETP society may be informed that in case of their failure to install the OLMS within stipulated time frame, DPCC will be left with no other option but to ask Industries Department/ DSIIDC for making alternate arrangement which may include taking over the operation of CETP.</p> <p>Issue letter to DSIIDC for conversion of CETPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, and ask for submission of time targeted action plan by 30.06.2016. Also a letter to CETP society for removal of deficiencies observed etc.</p>

  
 12-5-16  
 (Kulwant Joshi)  
 Special Secretary (Environment),  
 Member Secretary (DPCC)  
 Govt. of NCT of Delhi

  
 B.L. Chawla  
 SEC

  
 Anil Singh

  
 (M.L. Singh)

  
 Sanjay V. 1773

**Agenda 2- Cases of CTEPs : 27th Consent Committee Meeting(Orange) to be held on 10.05.2016**

S. No	Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status	Category (SPL/Non)	Authorization Status	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all)	Decision on dated 10.05.2016
3	Okhla Industrial Area CETP (24 MGD)	C-141, Okhla Industrial Area, Phase-1	27.02.2015	10245	CETP	CTO (R)	Non SPL	Valid upto 31.03.2015. Applied for renewal on 27.02.2015	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of on line monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLMS. The society has placed order for installation of OLMS & not submitted BG. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015,if OLMS are not installed by 30.06.2015. Special Committee comprising of CPCB, Industries Department, DPCC & DSIDC constituted by Hon'ble NGT order has recommended to optimize the CETPs by conversion of CETPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, removal of deficiencies observed etc.	<b>Results of January 2016</b> Outlet: Not meeting the standards w.r.t. BOD & Pb. <b>Results of March 2016</b> Outlet: Not meeting the standards w.r.t. BOD.	Letter was issued on 16.02.2016 for the compliance of the directions u/s. 18(1) (b) regarding installation of continuous effluent monitoring system. Online Monitoring system has been installed by CETP and URL is not submitted for online data in DPCC.	Issue letter to the CETP society for the submission of URL of OLMS latest by 10.06.2016. Issue letter to DSIDC for conversion of CETPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, and ask for submission of time targeted action plan by 30.06.2016. Also a letter to CETP society for removal of deficiencies observed etc.

*(Kulandh Raju)*  
Special Secretary (Environment),  
Member Secretary (CETP)  
Govt. of NCT of Delhi

*B. L. ...*  
SEE

*Anil Kumar*  
*(Co-ordinator)*  
*(Sondam Vajr)*

S. No	Name of unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status [CTE/CTO/CTO(R)]	Category (SPI/N on SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
4	Bawana CETP (35 MLD)	Bawana Infra Development Pvt. Ltd., Bawana Indl. Area CETP Society, Sector-5, Bawana	18.02.2013	3591	CETP	CTO (R)	Non SPI	Authorization under HWM Rules valid upto 31.03.2015. Applied on 18.02.2015.	<p>On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of on line monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB &amp; DPCC server. Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLMS. But the same was not installed. Further, directions issued for extension of time for installation of on line monitoring system with condition to submit BG of 100% cost of system. OLMS has not been installed yet. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015, if OLMS are not installed by 31.03.2015.</p> <p>Special Committee comprising of CPCB, Industries Department, DPCC &amp; DSHDC constituted by Hon'ble NGT order has recommended to optimize the CETPs by conversion of CETPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, removal of deficiencies observed etc.</p>	<p>Results of February 2016</p> <p>Outlet: Not meeting the standards w.r.t. Pb.</p> <p>Results of March 2016</p> <p>Outlet: Meeting the standards.</p>	<p>Letter was issued on 16.02.2016 for the compliance of the directions u/s 18(1) (b) regarding installation of continuous effluent monitoring system. Online Monitoring system has not installed yet.</p>	<p>Issue a letter to install the Online Monitoring system (OLMS) latest by 10.06.2016 and submit progress report regarding the progress made in installation of OLMS by way of photographs, receipt of the work order etc. CETP society may be informed that in case of their failure to install the OLMS within stipulated time frame, DPCC will be left with no other option but to ask Industries Department/ DSHDC for making alternate arrangement which may include taking over the operation of CETP.</p> <p>Issue letter to DSHDC for conversion of CETPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, and ask for submission of time targeted action plan by 30.06.2016. Also a letter to CETP society for removal of deficiencies observed etc.</p>

*(Signature)*  
 2/5/16  
**(Kulanand Joshi)**  
 Special Secretary (Environment)  
 Member Secretary (DPCC)  
 Govt. of NCT of Delhi

*(Signature)*  
**B.L. CHAWLA**  
 SEE


*(Signature)*


*(Signature)*  
 (M. J. Singh)


*(Signature)*  
 (SANDAR VATHS)


**Agenda 2- Cases of CTEPs : 27th Consent Committee Meeting(Orange) to be held on 10.05.2016**

5	Lawrence Road Industrial Area CETP (12 MLD)	Lawrence Road Industrial Area CETP, Near HP Petrol Pump, Ring Road	21.02.2013	3618	CETP	CTO (R)	Non SPI	Authorization under HWM Rules valid upto on 31.03.2015	<p>On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of on line monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB &amp; DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLMS. But the same was not installed.Further, directions issued for extention of time for installation of on line monitoring system with condition to submit BG of 100% cost of system. OLMS has not been installed yet. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015,if OLMS are not installed by 30.06.2015.</p> <p>Special Committee comprising of CPCB, Industries Department, DPCC &amp; DSIIDC Cconstituted by Hon'ble NGT order has recommended to optimize the CTEPs by conversion of CTEPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, removal of defeciencies observed etc.</p>	<p><b>Results of December 2015</b> Outlet: Not meeting the standards w.r.t. BOD.</p> <p><b>Results of February 2016</b> Outlet: Not meeting the standards w.r.t. BOD &amp; Pb.</p>	<p>Letter was issued on 16.02.2016 for the compliance of the directions u/s 18(1) (b) regarding installation of continous effluent monitoring system. <b>Online Monitoring system has been installed by CETP. URL is not submitted.</b></p>	<p>Issue letter to the CETP society for the submission of URL of OLMS latest by 10.06.2016. Issue letter to DSIIDC for conversion of CTEPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, and ask for submission of time targeted action plan by 30.06.2016. Also a letter to CETP society for removal of defeciencies observed etc.</p>
---	---	--	------------	------	------	---------	---------	--	--	--	---	---

*Don*  
  
 (Kulanid Joshi)  
 Special Secretary (Environment),  
 Member Secretary (DPCC)  
 Govt. of NCT of Delhi

*Bill*  
  
 B. L. CHAWLA  
 SEE

*Anil Kumar*  
  
 Anil Kumar  
 (M. J. S. S. S.)

*(Smt. V. V. V.)*  
  
 (Smt. V. V. V.)

S. No	Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status [CTE/CTO/CTO(R)]	Category (SPI/N on SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
6	Jhilmil CETP (16.8 MLD)	CETP Plant, B-Block, Jhilmil Indt. Area	30.03.2016	14142	CETP	CTO (R)	Non SPI	Applied for renewal of Authorization under HWM Rules on 30.03.2016. Id- 14143	<p><b>On Line Monitoring System(OLMS):</b>                      In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of on line monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB &amp; DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLMS. But the same was not installed.Further, directions issued for extension of time for installation of on line monitoring system with condition to submit BG of 100% cost of system. OLMS has not been installed yet. State level Committee constituted by Hon'ble NGT in the manner of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015, if OLMS are not installed by 30.06.2015.</p> <p>Special Committee comprising of CPCB, Industries Department, DPCC &amp; DSIIDC constituted by Hon'ble NGT order has recommended to optimize the CETPs by conversion of CETPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, removal of deficiencies observed etc.</p>	<p><b>Results of February 2016</b>                      Outlet: Meeting the standards.</p> <p><b>Results of March 2016</b>                      Outlet: Meeting the standards.</p>	<p>SCN for initiation of prosecution for the violation of the directions U/s of Water Act, 1974 was issued on 01.09.2015 for not installing the Online Monitoring System. Reply was received on 10.09.2015. Letter was issued on 07.03.2016 for the compliance of the directions u/s 18(1) (b) regarding installation of continuous effluent monitoring system. No reply received yet. Online Monitoring system has not installed yet.</p>	<p>Issue a letter to install the Online Monitoring system (OLMS) latest by 10.06.2016 and submit progress report regarding the progress made in installation of OLMS by way of photographs, receipt of the work order etc. CETP society may be informed that in case of their failure to install the OLMS within stipulated time frame, DPCC will be left with no other option but to ask Industries Department/ DSIIDC for making alternate arrangement which may include taking over the operation of CETP.</p> <p>Issue letter to DSIIDC for conversion of CETPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, and ask for submission of time targeted action plan by 30.06.2016. Also a letter to CETP society for removal of deficiencies observed etc.</p>

*Dava*  
 \_\_\_\_\_  
 (Kulnand Jasti)  
 Special Secretary (Environment),  
 Member Secretary (DPCC)  
 Govt. of NCT of Delhi


*Anil Kumar*  
 \_\_\_\_\_  
 - B.L. CHAWLA  
 SEG




*(M.L. Siddiqui)*

*(SUNIL VATHS)*

**Agenda 2- Cases of CTEPs : 27th Consent Committee Meeting(Orange) to be held on 10.05.2016**

S. No.	Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status	Category (SPI/Non)	Authorization Status	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all)	Decision on dated 10.05.2016
7	NARELA CETP (22 MLD)	M/s PNC Delhi Indl Infra Pvt. Ltd., Opp. H Block, Narela CETP Site, Narela Indl Area	08.03.2013	3757	CETP	CTO (R)	Non SPI	Applied for renewal of Authorization under HWM Rules on 08.03.2013	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of online monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLMS. Society submitted Bank Guarantee on 02.02.2015 however present status of installation of OLMS is not submitted. Special Committee comprising of CPCB, Industries Department, DPCC & DSUIDC constituted by Hon'ble NGT order has recommended treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, removal of deficiencies observed etc.	<u>Results of February 2016</u> Outlet: Meeting the standards <u>Results of March 2016</u> Outlet: Meeting the standards.	Letter was issued on 16.02.2016 for the compliance of the directions u/s 18(1) (b) regarding installation of continuous effluent monitoring system. Online Monitoring system has been installed by CETP. URI is submitted and data is uploaded on the website.	Issue letter to DSUIDC for conversion of CTEPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, and ask for submission of time targeted action plan by 30.06.2016. Also a letter to CETP society for removal of deficiencies observed etc.

  
 (Kulamrao Joshi)  
 Special Secretary (Environment),  
 Member Secretary (DPCC)  
 Govt. of NCT of Delhi

  
  
  
 B.L. CHANDRA  
 S.E.



Agenda 2- Cases of CTEPs : 27th Consent Committee Meeting(Orange) to be held on 10.05.2016

S. No	Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status [CTE/ CTO/ CTO(R)]	Category (SPI/N on SPI)	Authorization Status (Fresh/ Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
8	DSIDC Nangloi & Udyog Nagar Incl Area CETP (12 MLD)	Behind DTC Nangloi Depot, Rohtak Road	31.05.2013	4441	CETP	CTO (R)	Non SPI	Applied for renewal of Authorization on 08.09.2015. Id- 11734	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of on line monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLMS. But the same was not installed.Further, directions issued for extension of time for installation of on line monitoring system with condition to submit BG of 100% cost of system. OLMS has not been installed yet. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015, if OLMS are not installed by 30.06.2015. Special Committee comprising of CPCB, Industries Department, DPCC & DSIHDC Constituted by Hon'ble NGT order has recommended to optimize the CETPs by conversion of CETPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, removal of deficiencies observed etc.	Results of February 2016 Outlet: Not meeting the standards w.r.t. Pb. Results of March 2016 Outlet:Meeting the standards.	SCN for initiation of prosecution for the violation of the directions U/s of Water Act, 1974 was issued on 01.09.2015 for not installing the Online Monitoring System. Reply received on 23.09.2015. Letter was issued on 16.02.2016 for the compliance of the directions u/s 18(1) (b) regarding installation of continuous effluent monitoring system. Reply was received on 02.03.2016. Online Monitoring system has not installed yet.	Issue a letter to install the Online Monitoring system (OLMS) latest by 10.06.2016 and submit progress report regarding the progress made in installation of OLMS by way of photographs, receipt of the work order etc. CETP society may be informed that in case of their failure to install the OLMS within stipulated time frame, DPCC will be left with no other option but to ask Industries Department/ DSIHDC for making alternate arrangement which may include taking over the operation of CETP. Issue letter to DSIHDC for conversion of CETPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, and ask for submission of time targeted action plan by 30.06.2016. Also a letter to CETP society for removal of deficiencies observed etc.

*(Signature)*

12.5.16  
**(Kulnand Joshi)**  
 Special Secretary (Environment)/  
 Member Secretary (DPCC)  
 Govt. of NCT of Delhi

*(Signature)*  
**B.L. CHAWLA**  
 SEE

*(Signature)*  
**(M. Siddiqui)**

*(Signature)*  
**(MANJAY VARSI)**

Agenda 2- Cases of CTEPs : 27th Consent Committee Meeting(Orange) to be held on 10.05.2016

S. No	Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status [CTE/CTO/CTO(R)]	Category (SP/N on SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
9	Mayapuri Indl. Area CTEP (12 MI.D)	CETP Building, Opposite Govt. of India Press, Mayapuri Phase-I	3/30/2015	10447	CETP	CTO (R)	Non SPI	Applied for renewal of Authorization on 03.09.2015. Id- 11705	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of online monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & OPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLMS. But the same was not installed.Further, directions issued for extension of time for installation of on line monitoring system with condition to submit BG of 100% cost of system. OLMS has not been installed yet. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority. in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015.if OLMS are not installed by 30.06.2015. Special Committee comprising of CPCB, Industries Department, DPCC & DSIIDC Constituted by Hon'ble NGT order has recommended to optimize the CETPs by conversion of CETPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, removal of deficiencies observed etc.	Results of February 2016 Outlet: Not meeting the standards w.r.t. Pb. Results of March 2016 Outlet: Meeting the standards.	Letter was issued on 16.02.2016 for the compliance of the directions u/s 18(1) (b) regarding installation of continuous effluent monitoring system. Reply was received on 16.03.2016. Online Monitoring system has not installed yet.	Issue a letter to install the Online Monitoring system (OLMS) latest by 10.06.2016 and submit progress report regarding the progress made in installation of OLMS by way of photographs, receipt of the work order etc. CETP society may be informed that in case of their failure to install the OLMS within stipulated time frame, DPCC will be left with an other option but to ask Industries Department/ DSIIDC for making alternate arrangement which may include taking over the operation of CETP. Issue letter to DSIIDC for conversion of CETPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, and ask for submission of time targeted action plan by 30.06.2016. Also a letter to CETP society for removal of deficiencies observed etc.

*(Kulana)*  
**(Kulana)**  
 Special Secretary (Environment)  
 Member Secretary (DPCC)  
 Govt. of NCT of Delhi


*Amol*  
*B.L. Chandra*  
 SEC


*(M.L. Siddiqui)*



*(Sanjay Vaj)*

**Agenda 2- Cases of CTEPs : 27th Consent Committee Meeting(Orange) to be held on 10.05.2016**

10	BA Indl Area CETP (12 MLD)	119, SMA, Co-operative Indl. Estate, G.T. Karnal Road	24.09.2013	5534	CETP	CTO (R)	Non SPI	Authorizatin under HWM Rules was valid upto 08.09.2015.	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of on line monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultancously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLMS. But the same was not installed.Further, directions issued for extention of time for installation of on line monitoring system with condition to submit BG of 100% cost of system. OLMS has not been installed yet. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.1.7.2015,if OLMS are not installed by 30.06.2015. Special Committee comprising of CPCB, Industries Department, DPCC & DSIIDC Coonstituted by Hon'ble NGT order has recommended to optimize the CTEPs by conversion of CTEPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, removal of defeciencies observed etc.	<u>Results of February 2016</u> Outlet: Not meeting the standards w.r.t. Pb & Cl <u>Results of March 2016</u> Outlet: Meeting the standards.	Letter was issued on 16.02.2016 for the compliance of the directions u/s 18(1) (b) regarding installation of continous effluent monitoring system. Online Monitoring system has installed by CETP . URL is submitted and data is uploaded on website.	Issue letter to DSIIDC for conversion of CTEPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, and ask for submission of time targeted action plan by 30.06.2016. Also a letter to CETP society for removal of defeciencies observed etc.
----	----------------------------	---	------------	------	------	---------	---------	---	--	---	---	---


  
 (Kulanand Joshi)  
 Special Secretary (Environment)  
 Member Secretary (DPCC)  
 Govt. of NCT of Delhi

  
 B.L. CHAWLA  
 SEE


 Anil Kumar  
 G. Sanjay  
 (G. SANJAY MATTS)


**Agenda 2- Cases of CETPs: 27th Consent Committee Meeting held on 10.05.2016**

S. No	Name of the unit	Address of the unit	Date of Application	Application ID / No.	Activity / Product	Consent Status (CTE/CTO/CTO(R))	Category (SPL/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
11	Wazirpur Indl Area CETP (24 MLD)	Wazirpur Indl. Pollution Control CETP Society, Ashok Vihar Ph-II, Kali Mata Mandir Road	01.10.2013	5623	CETP	CTO @	Non SPI	Authorization under HWM Rules valid upto 02.03.2016	<p>On Line Monitoring System(OLMS):                      In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of on line monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB &amp; DPCC server. Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLMS. Society submitted Bank Guarantee on 28.06.2015. However present status of installation of OLMS is not submitted. Special Committee comprising of CPCB, Industries Department, DPCC &amp; DSHDC constituted by Hon'ble NGT order has recommended to optimize the CETPs by conversion of CETPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, removal of deficiencies observed etc.</p> <p>PGMS complaints ID No 201586297 &amp; 20165820 regarding disposal of Hazardous waste at outside the premises of CETP received in this office. An application is also filed before Hon'ble NGT. In response to above, officials from DPCC, CPCB &amp; DSHDC carried out an inspection of alleged dumpsite and surrounding areas near CETP, Wazirpur on 07.03.2016.</p> <p>The inspection team collected samples of soil at different depths; CETP sludge and groundwater from adjoining locations of CETP at Wazirpur. Report has been prepared. Inspection team has given certain recommendation for remediation of the contaminated groundwater &amp; soil..... (Contd).....</p>	<p><u>Results of February 2016</u>                      Outlet: Not meeting the standards w.r.t. Pb  <u>Results of March 2016</u>                      Outlet: Meeting the standards</p>	<p>Online Monitoring system has been installed by CETP. URL is submitted and data is uploaded on website.</p>	<p>Issue directions under Sec 5 of EPA and ask CETP society to comply with the recommendations of the joint inspecting team of CPCB and DPCC. CETP society may also be directed an Action Plan for removal of the Hazardous Waste in a time bound manner as well as steps taken to prevent further dumping of Hazardous Waste at the site.</p> <p>Issue SCN U/s 5 of EPA to the CETP society as to why penalty of Rs.1,00,000 (Rs.One Lakh) should not be imposed for improper handling and disposal of hazardous waste.</p>

  
 10.05.2016  
 Special Secretary (Environment)  
 Member Secretary (DPCC)  
 Govt. of NCT of Delhi

  
 (M. S. D. Singh)

  
 B.L. Chandra  
 SEC

  
 (Sanjay Vasis)  
 SS

								<p>Recommendations of the team are:</p> <ol style="list-style-type: none"> <li>1.) The operator of the CETP facility is liable for environmental damages caused due to improper handling of hazardous waste and shall be directed to take immediate response measures and environmental site assessment and remediation (if required) as per the guidelines published by CPCB "Guidelines on implementing liabilities for Environmental damages due to Handling &amp; Disposal of Hazardous Waste and Penalty".</li> <li>2.) CETP Society may be directed to engage a 3rd party consultant having relevant experience to carry out detailed environmental site assessment as per the aforesaid guidelines of CPCB within one month. They shall submit a report to DPCC on detailed site assessment within 4 months thereafter.</li> <li>3.) Penalty may be imposed on CETP society for improper handling or disposal of CETP sludge.</li> <li>4.) Since there is no common TSDF in Delhi, CETP society shall create additional sludge storage facility till the time such common facility established</li> <li>5.) CETP society shall provide shed on the sludge storage area near the tertiary treatment units.</li> <li>6.) CETP society shall ensure that sludge removed from filter press should not be stored in open and it shall be ensured that dewatered sludge is lifted immediately and shifted to sludge storage area.</li> </ol>			
--	--	--	--	--	--	--	--	---	--	--	--

*DK*

12-5-16  
**(Kulanand Joshi)**  
 Special Secretary (Environment)  
 Member Secretary (DPCC)  
 Govt. of NCT of Delhi

*Anil*

*H*  
*(anil addijar)*

*SEE-WMGJ*

*(SANJAY VA77)*  
 33

**Agenda 2- Cases of CTEPs : 27th Consent Committee Meeting(Orange) to be held on 10.05.2016**

11	TK Road Indl. Area CETP MLD)	GTK Road Indl. Area CETP, B-Block. GTK Indl. Area	04.10.2013	5624	CETP	CTO (R)	Non SPI	Applied for Renewal of Authorization under HWM Rules on 04.10.2013	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of on line monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLMS. The society has placed order for installation of OLMS & not submitted B. G. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015,if OLMS are not installed by 30.06.2015. Special Committee comprising of CPCB, Industries Department, DPCC & DSIIDC Constituted by Hon'ble NGT order has recommended to optimize the CTEPs by conversion of CTEPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, removal of defecieneies observed etc.	<u>Results of February 2016</u> Outlet: Not meeting the standards w.r.t. Pb <u>Results of March 2016</u> Outlet: Meeting the standards.	Letter was issued on 16.02.2016 for the compliance of the directions u/s 18(1) (b) regarding installation of continuous effluent monitoring system. <b>Online Monitoring system has been installed . URL is submitted and data uploaded on website.</b>	Issuc letter to DSIIDC for conversinn of CTEPs to Biological treatment process, treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, and ask for submission of time targeted action plan by 30.06.2016. Also, aletter to CETP society for removal of defecieneies observed etc.
----	---------------------------------------	--	------------	------	------	---------	---------	--	---	--	--	---

*Handwritten initials*

12-5-16

(K. Manand...)  
Special Secretary (Environment)  
Member Secretary (DPCC)  
Govt. of NCT of Delhi


*Handwritten signature*  
B. L. CHAWLA  
SECRETARY


*Handwritten signature*  
Anil Singh

*Handwritten signature*  
SUNJAY VATHIA


Agenda 2- Cases of CTEPs : 27th Consent Committee Meeting(Orange) to be held on 10.05.2016


S. No	Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status [CTE/CTO/CTO(R)]	Category (SPI/N on SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
13	Mangolpur i Indl. Area CETP (2.45 MLD)	CETP Mangolpur i Indl. Area, Phase-I	29.04.2016	14518	CETP	CTO (R)	Non SPI	Not Applicable being Biological Treatment Plant	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of on line monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLMS. But the same was not installed.Further, directions issued for extension of time for installation of on line monitoring system with condition to submit BG of 100% cost of system. OLMS has not been installed yet. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015,if OLMS are not installed by 30.06.2015. Special Committee comprising of CPCB, Industries Department, DPCC & DSIIDC constituted by Hon'ble NGT order has recommended treatment of effluent flowing in the nearby drains in CETP, connecting all units in conveyance system, removal of deficiencies observed etc.	<u>Results of February 2016</u> Outlet: Not meeting the standards w.r.t. BOD. <u>Results of March 2016</u> Outlet: Not meeting the standards w.r.t. BOD.	SCN for initiation of prosecution for the violation of the directions U/s of Water Act, 1974 was issued on 01.09.2015 for not installing the Online Monitoring System. Letter was issued on 16.02.2016 for the compliance of the directions u/s 18(1) (b) regarding installation of continuous effluent monitoring system. No reply received yet. Online Monitoring system has not installed yet.	Issue a letter to install the Online Monitoring system (OLMS) latest by 10.06.2016 and submit progress report regarding the progress made in installation of OLMS by way of photographs, receipt of the work order etc. CETP society may be informed that in case of their failure to install the OLMS within stipulated time frame, DPCC will be left with no other option but to ask Industries Department/ DSIIDC for making alternate arrangement which may include taking over the operation of CETP. Issue letter to DSIIDC for treatment of effluent flowing in the nearby drains in CETP, connecting all units to conveyance system, and ask for submission of time targeted action plan by 30.06.2016. Also a letter to CETP society for removal of deficiencies observed etc.

  
 12.5.16  
**(Kulnand Joshi)**  
 Special Secretary (Environment)  
 Member Secretary (DPCC)  
 Govt. of NCT of Delhi

  
**B.L. CHAWLA**  
 SEC



  
 (Conl. Ganga)

  
 (SANJAY VARTI)

**Agenda I- Cases of MSW : 27th Consent Committee Meeting(Orange) held on 10.05.2016**

S.No	Name of the Unit	Address of the Unit	Date of Application	Applic ID No.	Activity / Product	Consent Status (CTE/CTO/CTO(R))	Category (SPT/Non SPT)	Authoriz atinn Status (Fresh/R enewal)	Brief of the Case	Decision on 11.03.2016	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
1	IL & FS Environmental Infrastructure and Services Limited, Siraspur, Libaspur, GT Karnal Road	Bhagat Singh Park, Siraspur, Libaspur, GT Karnal Road, Delhi	02.03.2016	CTE-13812	Construction and Demolition waste processing	Applied for CTE	Non SPT	Fresh	The unit intends to process Construction and Demolition waste processing of 500 T/day. Plot Area is 10800 sqm. Date of possession of land : 09.02.2015. The land has been handed over by PWD to the Unit. No documents have been submitted in context of conformity w.r.t. Master Plan of Delhi.	<p>1. Presentation was given by official of IL &amp; FS Environmental Infrastructure and Services Limited regarding three up-coming plants. The plants are of same type as set up at Shastri Park by the same company in terms of provision for dust control measures.</p> <p>2. It was noted that there are habitation next to the sites. It was conveyed by the project proponent that the residents/villagers living adjacent to the sites have not been consulted in a formal manner regarding establishment of C &amp; D waste processing facility. It is essential that any issue with respect to habitation is sorted out at this stage itself rather than getting bogged down midway later. In view of this the project proponent is required to furnish the outcome of formal interaction with habitants.</p> <p>3. The project proponent has also not furnished as to whether the proposed sites are in conformity to Master Plan Delhi 2021. No intimation about the land use has been conveyed in their application submitted to the department.</p> <p>4. The project proponent stated that such plants are operational in U.K. with the same the technology. However it is not clear whether such plants having dust control norms as proposed are also located next habitation in U.K. It may therefore be clarified by the way of google map whether habitation around the plant in U.K is at the same distance as in the case of proposed projects.</p> <p>5. The project proponent is required to furnish air quality test reports inside the Shastri Park Plant and at habitation facing that plant to prove that air quality at the habitation has not deteriorated.</p> <p>6. If the Project proponent is unable to furnish the aforesaid information within four weeks, the Consent application (CTE) will be rejected on ground that satisfactory arrangement for dust control have not been planned/ensured. In case the information is made available the committee will again meet in first week of May 2016 for taking a decision. If the project proponent is not confident about adequacy of dust controls measures, it is free to change the site in accordance to MPD 2021 at any time.</p> <p>7. Further in all such projects, the Project Proponent should furnish Bank Guarantee of Rs 5 lakhs to guarantee that the ambient air quality at the habitation next to it will not fall. Bank</p>		<p>A Video CD along with a letter dated 27.04.2016 regarding Public Hearing has been received. In its reply the project proponent failed to inform about the conformity of the land use. Regarding the plants of UK which are using the same technology it has been observed that these plants are fully covered as well as far away from residential areas. The project proponent has also requested to remove the bank guarantee clause as Ambient Air Quality depends on several variables like transportation, burning of fuels etc.</p>	<p>The application for consent to establish will be considered after submission of compliance of following:</p> <p>1) Approval of land owning agency regarding conformity of land for carrying out C&amp;D waste processing as per MPD 2021.</p> <p>2) Submission of plan for total covering of the project in view of close proximity to residential area.</p> <p>3) Action plan for controlling dust measures in such manner so that dust from the process shall not escape and Ambient Air quality is not deteriorated further in any manner.</p> <p>4) Submission of Bank Guarantee as decided in the meeting held on 11.03.2016.</p> <p>Apart from this the project proponent is liable to comply with the provisions of newly notified Construction and Demolition Waste Management Rules, 2016 and will submit application accordingly.</p>

*OSM*

*12/5/16*  
**(Kulanand Joshi)**  
 Special Secretary (Environment)  
 Member Secretary (DPCC)  
 Govt. of NCT of Delhi

*B.L. CHANNA*  
 SEE

*(M. L. Siddiqui)*  
 AE (WMC-9)

*(SARJAN VAITS)*  
 EE



**Agenda 1- Cases of MSW : 27th Consent Committee Meeting(Orange) held on 10.05.2016**

S.N	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Activity Product	Consent Status (CTE/CTO/CTO(R))	Category (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Decision on 11.03.2016	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
	IL & FS Environmental Infrastructure and Services Limited, DMRC site, Madanpur Extension, near Rani Khera, Main Road, Village Rani Khera, Mundaka	DMRC site, Madanpur Extension, near Rani Khera, Main Road, Village Rani Khera, Mundaka, Delhi	CTE-11.12.2015	CTE-12664	Construction and Demolition waste processing	Applied for CTE	Not SPI	Fresh	The unit intends to process Construction and Demolition waste processing of 150 T/day. Plot Area is 12059 sqm, Date of possession of land : 06.11.2015. The land has been handed over by DMRC to the Unit. No documents have been submitted in context of conformity w.r.t. Master Plan of Delhi.	Guarantee be submitted along with the application for consent of operate. Bank Guarantee will be liable for forfeiture for non compliance of the emission norms. Project proponents shall recoup the bank guarantee accordingly and immediately		A Video CD along with a letter dated 27.04.2016 regarding Public Hearing has been received. In its reply the project proponent has submitted a letter of DDA dated 01.09.2014 regarding land use for 2 years for management of C&D waste of Delhi MRTS. Regarding the plans of UK which are using the same technology it has been observed that these plants are fully covered as well as far away from residential areas.	The application for consent to establish will be considered after submission of compliance of following: 1) Extension of utility of land use for carrying out the activity of processing of C&D waste beyond September 2016. 2) Submission of plan for total covering of the project in view of close proximity to residential area. 3) Action plan for controlling dust measures in such manner so that dust from the process shall not escape and Ambient Air quality is not deteriorated further in any manner. 4) Submission of Bank Guarantee as decided in the meeting held on 11.03.2016. Apart from this the project proponent is liable to comply with the provisions of newly notified Construction and Demolition Waste Management Rules, 2016 and will submit application accordingly.

0011  
12-5-16  
**(Kulanand Joshi)**  
Special Secretary (Environment)  
Member Secretary (DPCC)  
Govt. of NCT of Delhi

*[Signature]*  
B. L. KHANNA  
SEE

*[Signature]*  
Anil Singh  
EE (WMEU)

*[Signature]*  
(SANJAY VARSI)  
EE (WMEU)

Agenda I- Cases of MSW : 27th Consent Committee Meeting(Orange) held on 10.05.2016

S.N	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Activity / Product	Consent Status [CTE/CTO/CTO(R)]	Category (SPL/Non SPL)	Authorization Status (Fresh/Renewal)	Brief of the Case	Decision on 11.03.2016	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
	IL & FS Environmental Infrastructure and Services Limited, Chara Mandi Ground, Baba Haridas Nagar, NH10, Near Tikri Border Metro Station	Chara Mandi Ground, Baba Haridas Nagar, NH10, Near Tikri Border Metro Station, Delhi	CTE-15.2.2016	CTE-13675	Construction and Demolition waste processing	Applied for CTE	Non SPL	Fresh	The unit intends to process Construction and Demolition waste processing of 500 T/day. Plot Area is 10600 sqm, Date of possession of land : 25.01.2016. The land has been handed over by PWD to the Unit for 126 months in total. No documents have been submitted in context of conformity w.r.t. Master Plan of Delhi.			A Video CD along with a letter dated 27.04.2016 regarding Public Hearing has been received which states: In response to point no. 2 the habitants living nearby the plant who attended the hearing and are not agreeing to the plant being setup. In its reply the project proponent failed to inform about the conformity of the land use. Regarding the plants of UK which are using the same technology it has been observed that these plants are fully covered as well as far away from residential areas. The project proponent has also requested to remove the bank guarantee clause as Ambient Air Quality depends on several variables like transportation, burning of fuels etc.	The application for consent to establish will be considered after submission of compliance of following: 1) Approval of land owning agency regarding conformity of land for carrying out C&D waste processing as per MPD 2021. 2) Submission of plan for total covering of the project in view of close proximity to residential area. 3) Action plan for controlling dust measures in such manner so that dust from the process shall not escape and Ambient Air quality is not deteriorated further in any manner. 4) Submission of Bank Guarantee as decided in the meeting held on 11.03.2016. Apart from this the project proponent is liable to comply with the provisions of newly notified Construction and Demolition Waste Management Rules, 2016 and will submit application accordingly.

*Done*

(Kajal Ganesh Joshi)  
Special Secretary (Environment)  
Member Secretary (DPCC)  
Govt. of NCT of Delhi

*B.L. Chandra*  
SEE

*Andhra*

*M. L. Sridhar*

*(SANDAR VATTU)*  
SE

**Agenda 1- Cases of MSW : 27th Consent Committee Meeting(Orange) held on 10.05.2016**

S.N	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Activity / Product	Consent Status (CTE/CTO/CTO(R))	Category (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Decision on 11.03.2016	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
	IL & FS Environmental Infrastructure and services Limited Shastri Park	Shastri Park	10.07.2015-CTE (Extension), 29.10.2015-CTO	11269-CTE 12246-CTO	Construction and Demolition waste processing	10.07.2015-CTE (Extension), 29.10.2015-CTO	Non SPI	Fresh	Unit is processing Construction and Demolition Waste. It has applied for CTO on 29.10.2015. Inspection of Unit was carried out on 27.02.2016 and a fine of Rs. 50,000 was imposed for not controlling dust emissions. SCN have also been issued to EDMC and DDA for the heap of C&D waste outside the plant without any dust control measures. Meeting was convened on 08.03.2016 with officials of unit, DDA and EDMC. Inspection was again carried out on 09.03.2016 and it was observed that the unit has started taking steps to control dust emissions but further steps need to be taken to control dust emissions like providing more sprinklers, installing barriers to control air emissions.	Unit is carrying out the processing of construction and demolition waste. Regular complaints are received regarding the dust pollution caused by this plant. Earlier a fine of Rs. 50,000 was imposed for not controlling dust emissions. A meeting was convened with officials of the plant, EDMC and DDA on 08.03.2016 regarding dust control measures at the plant and the surrounding heap. Inspection on 09.03.2016 revealed that unit still has not taken adequate measures to control dust emissions. Representative of the unit during the meeting has sought four weeks time to control dust emissions. It was decided that adequate dust control measures shall be taken within four weeks and the unit will submit the test report of ambient air quality at habitation facing the plant and the nearby colony to demonstrate that quality of air at habitation colony does not deteriorate due to operation of the plant. Application for Consent to Operate the plant shall be decided later, accordingly.	Unit is not meeting with the RSPM standard on either of the sampling locations (Terrace and ground).	As decided in the meeting held on 11.03.2016 a letter was issued to the project proponent on 01.04.2016. No reply has been received from project proponent to the letter issued to it however letter have been received from EDMC written to Chief Secretary Govt. of NCT of Delhi wherein Commissioner EDMC has requested the Chief Secretary to instruct DPCC to issue Consent to Operate at the earliest.	Issue a reminder letter to chief Conservator of Forest and enquire about the measures taken for plantation as well as to prohibit further dumping of C&D waste at the land adjacent to C&D waste processing facility that was handed over to Forest department. Issue a reminder of Show Cause Notice to the project proponent.

*Dan*

12.5.16

(Kulanand Joshi)  
Special Secretary (Environment)  
Member Secretary (DPCC)  
Govt. of NCT of Delhi

*[Signature]*  
B. L. Chaturvedi  
SCL

*[Signature]*  
Anil Kumar  
*[Signature]*  
(M. L. Siddiqui)  
CC

*[Signature]*  
(SANJAY VARSI)  
42

**Agenda 1- Cases of MSW : 27th Consent Committee Meeting(Orange) held on 10.05.2016**

S.N	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Activity / Product	Consent Status (CTE/CTO/CTO(R))	Category (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Decision on 11.03.2016	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
	IL & FS Waste Management and Urban Services Limited	Gate No. 1, Hanuman Mandir Road Near MCD Colony, Jahangir Puri	17.01.2014	6482	Processing of construction and Demolition activity	CTO valid	Non SPI	Applied for Authorization under MSW Rules, 2000 on 17.01.2014	<p>The unit has granted CTO in 23rd Consent Committee Meeting (Orange) held on 12.06.2014. CTO (Renewal) has granted on 16.07.2014.</p> <p>The plant was visited on 03.03.2016 and following deficiencies were observed:</p> <ol style="list-style-type: none"> <li>1. Heaps of waste was observed around the project without any dust control measures.</li> <li>2. Sprinklers need to be installed at the project &amp; dust emission was observed at the site even when plant was non-operational.</li> <li>3. The boundary wall is of 5 feet height (approx.) &amp; was found broken at few places.</li> <li>4. Unit officials were unable to show the compliance of EC &amp; CTD conditions.</li> <li>5. The project site is surrounded by residential colony nearby MCD Safai Karanchari colony &amp; residential slum of Jahangir Puri. Height of surrounding wall is not upto the mark.</li> <li>6. RMC plant of the unit is lying closed for past more than one year.</li> <li>7. The C &amp; D waste is presently not covered &amp; requires dust control measures.</li> </ol> <p>SCN was issued on 28.03.2016 for revocation of Consent for the deficiencies observed during the inspection dated 03.03.2016.</p> <p>Notice for fine of Rs 50000 was issued the plant on 06.01.2016 as per Hon'ble NGT order.</p>			Point wise reply against SCN issued on 28.03.2016 was received on 13.04.2016. As conveyed in the reply boundary wall which was found broken shall be repair. The plant has not submitted fine of Rs. 50000.	Reply to SCN was considered by the committee and not found satisfactory. Issue Show Cause Notice for closure under Sec 31 (A) of Air Act 1981 for non-submission of environmental damages as well as for not taking adequate measures for compliance of deficiencies observed during the inspection carried out on 10.12.2015.

*Don*

12-5-16  
**(Kulanand Joshi)**  
 Special Secretary (Environment)  
 Member Secretary (DPCC)  
 Govt. of NCT of Delhi

*B.L. Chawla*  
 B.L. CHAWLA  
 SEE

*Anil Kumar*

*J*  
 (m. L. Dholakia)  
 ee

*J*  
 (ANJAY VATHI)  
 ee

**Agenda I- Cases of MSW : 27th Consent Committee Meeting(Orange) held on 10.05.2016**

Sl. No.	Name of Unit	Address of the Unit	Date of Application	Application ID No.	Activity / Product	Consent Status (CTE/CTO/CTO(R))	Category (SPL/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Decision on 11.03.2016	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
5	Elephant Energy Pvt. Limited	NDMC Khatta Ring Road, Raj Nagar, New Delhi-110023	11.06.2015-CTE	50305	Waste to Energy Plant	Applied for CTE	Non SPI	NA	<p>The Unit intends to generate electricity to the extent of 1.7 KWH. The raw materials will be 70tpd of MSW and PNG of 100 kg/day. Unit has not submitted EC along with the application. It is claimed that power generation is less than 15 MW for exemption of EC. However, all MSW projects are covered as per EIA Notification.</p> <p>In first instance write a letter to NDMC to seek their view on the project as the project is sought to be located in the heart of city. If NDMC is still supporting the project, then the following information will be called from Project Proponent:-</p> <p>a) Environmental Clearance, b) Technology approval from CPCB, c) Permission from other Authorities as prescribed in the MSW Rules.</p>	Place the case in next meeting.		Letter issued on 18.02.2016. Reply awaited. Reminder letter was issued to New Delhi Municipal Corporation on 01.04.2016. Reply awaited.	Issue reminder.

*(Signature)*

12-5-16  
 (Kulwant Singh)  
 Special Secretary (Environment)  
 Member Secretary (DPCC)  
 Govt. of NCT of Delhi

*(Signature)*

*(Signature)*  
 (M. J. Gaddig)

*(Signature)*  
 B.L. Chandra  
 SEE

*(Signature)*  
 (SANJAY VARSI)

**Agenda 1- Cases of MSW : 27th Consent Committee Meeting(Orange) held on 10.05.2016**

N	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Activity Product	Consent Status (CTE/CTO/CTO(R))	Category (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Decision on 11.03.2016	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
7	Chintan Environmental Research and Action Group	Gazipur Dairy Farm	26.08.2014	Nil	Aerobic Composting of Organic Waste	Not applied	Non SPI	Applied for Authorization under MSW Rules, 2000 on 26.08.2014	Inspection of site was conducted on 9.3.2015 by DPCC officials. Following were the observations: 1. The compost plant is in operation having one OWC & 6 pits. 2. The food waste is taken from hotels. 3. Plant is located in Gazipur Dairy Farm. A letter issued on 28.05.2015 to provide proof of possession of land and site clearance (from local authority)/confirmation of land. Extension granted.	Place the case in next meeting.		Letter was issued to Chintan Environment Research and Action Group on 18.02.2016 to provide proof of possession of land and site clearance (from local authority)/confirmation of land. Reminder letter was issued on 01.04.2016. Reply awaited.	Issue reminder.

*(Signature)*

M. S. K.  
(Kulamani Dasgupta)  
Special Secretary (Environment)  
Member Secretary (DPCC)  
Govt. of NCT of Delhi

*(Signature)*  
*(M. S. K.)*

*(Signature)*  
B.L. CHANNA  
SEF

*(Signature)*  
(SUNDAY 10/5/16)

Agenda I- Cases of MSW : 27th Consent Committee Meeting(Orange) to be held on 10.05.2016

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Activity Product	Consent Status [CTE/ CTO/ CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Decision on 11.03.2016	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of)	Decision on dated 10.05.2016
8	Delhi Municipal Solid Waste Solutions Ltd	Narela Bawana Road, Delhi- 39	06.05.2016	14597	Waste to Energy Plant, 24 MW installed capacity by processing of MSW.	Applied for CTO-	Non SPI		Unit has submitted application for Consent to Operate alongwith the technical adequacy report of the emission control system installed by the unit. As per the technical Adequacy Report prepared by Delhi Technical University the ECS installed will be able to meet the specified standards of the Consent issued to the unit.				Permission for trial run be issued for period of three months to assess as to whether the plant will be able to meet with the specified standards laid down in Consent to Establish. After satisfactory trial run application for CTO will be considered by DPCC.

*06/05*

*Kuldeep Joshi*  
 Special Secretary (Environment)  
 Member Secretary (DPCC)  
 Govt. of NCT of Delhi

*B.L. CHANVA*  
 SEE

*Amol...*

*Sanjay Vats*  
 Secy. DPCC

*Sanjay Vats*  
 Secy. DPCC

Agenda 3- Cases of Sewage Treatment Plants: 27th Consent Committee Meeting(Orange) held on 10.05.2016

Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Activity / Product	Consent Status [CTE/ CTO/ CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
1 Keshopur STP (60 MGD)	Keshopur	02.01.2015 (Orange/Renewal)	9818	Sewage Treatment Plant	CTO ( R )	Non SPI	NA	Keshopur STP is having STPs of 40, 20 and 12 MGD capacity. The 40 MGD and 20 MGD plants are not meeting with the prescribed standards as per the reports submitted by DJB for the parameters of TSS and BOD.	Last Inspection was done by CPCB & DPCC on 10.09.2015 as per the direction of Hon'ble NGT.	As decided in 25th CMC Meeting, letter has been issued on 09.03.2016. Reply awaited.	Issue SCN for refusal of Consent in view of failure to meet the prescribed standards and non submission of action plan for achievement of standards of TSS and BOD of 10mg/l
Nilothi STP (40 MGD)	Nilothi(40 MGD)	12.08.2014 (Orange/Renewal)	8743	Sewage Treatment Plant	CTO ( R )	Non SPI	NA	The STP is not meeting with the prescribed standards as per the reports submitted by DJB for the parameters of TSS and BOD.	Last Inspection was done by CPCB & DPCC on 10.09.2015 as per the direction of Hon'ble NGT.	As decided in the 25th CMC meeting reminder has been issued on 09.03.2016. Reply awaited.	Issue SCN for refusal of Consent in view of failure to meet the prescribed standards and non submission of action plan for achievement of standards of TSS and BOD of 10mg/l
Rohini Sewage Treatment Plant (15MGD)	Sector-25, Rohini, Delhi	11.04.2014 (Orange / Renewal)	7456	Sewage Treatment Plant	CTO ( R )	Non SPI	NA	The plant was jointly inspected by officials of CPCB and DPCC as per directions of NGT in the matter of Manoj Mishra vs UOI & Othrs. As per the effluent analysis report of the treated sample collected during inspection, STP was not meeting the standards w.r.t. TSS and BOD. As per the monitoring carried out by DPCC lab in January 2016, the treatment plant is meeting the prescribed standards. DJB is not filing regular reports regarding this STP.	Last Inspection was done by CPCB & DPCC on 17.09.2015 as per the direction of Hon'ble NGT.		Inspection to be carried out.

(Dr. Madarand Joshi)  
 Member, Consent Committee  
 Govt. of NCT of Delhi

*SEE*

*Amol*

*(M. S. Sidani) (Sanjay Vats)*  
 EE



Agenda 3- Cases of Sewage Treatment Plants: 27th Consent Committee Meeting(Orange) held on 10.05.2016

Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Activity / Product	Consent Status [CTE/ CTO/ CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
Kondli STP (45 MGD)	Kondli	09.05.2014 (Orange Operate)	7761	STP	CTO (R)	Non SPI	NA	CTE was granted to achieve the BOD and TSS level 10 mg/l respectively. The plant is not meeting with the standards prescribed in the CTE and CTO. DJB has informed that the plant is designed for BOD 20 mg/l & TSS 30 mg/l. However, the plant is not meeting the designed parameters. A number of complaints against the STP for causing foul smell. A meeting was convened with DJB officer on 22.05.2015. DJB officers has assured to submit an action plan in this regard within a week. As per the monitoring reports of March 2016, the STP was meeting the design parameter.	As per the latest effluent analysis Report of treated effluent carried out by DPCC on 29.03.2016, the Plant is not meeting with prescribed standards.		Issue SCN for refusal of Consent in view of failure to meet the prescribed standards and non submission of action plan for achievement of standards of TSS and BOD of 10mg/l and steps taken to mitigate smell/odour problem arising out due to operation of STP.
Delhi Gate Nallah Phase - II STP (15 MGD)	Delhi Gate	23.07.2015 (Orange Operate)	11367	Sewage Treatment Plant	CTO	Non SPI	NA	The unit has applied for Consent to Operate on 23.07.2015. The earlier Consent to establish issued to unit had expired on 16.06.2015. The unit failed to apply within time and was informed about the same at the time of submission of Consent application. A letter has been issued on 18.08.2015 requesting the unit to submit fees of rupees 6,00,000.00 so that CTO may be processed. DJB has submitted the fees.	As per the latest effluent analysis Report of treated effluent carried out by DPCC on 03.03.2016, Plant is meeting with prescribed Standards. Last Inspection done by CPCB & DPCC on dated 08.09.2015		Issue a letter seeking information regarding quantum of waste water being trapped at Delhi Gate Nallah and plans to capture the entire waste water.

10/05/16

12/05/16  
Special Secretary (H.A.)  
Member Secretary (C.C.)  
Govt. of Maharashtra

*Surya*  
S.E.E.

*Anil*

*(M. L. Dindiga)*

*(Sanjay Vajji)*  
S.C.

Agenda 3- Cases of Sewage Treatment Plants: 27th Consent Committee Meeting(Orange) held on 10.05.2016

Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Activity / Product	Consent Status [CTE/ CTO/ CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
Nilothi STP (20 MGD)	Nilothi STP 20 MGD -	15.12.2015 (Orange-Establish Extension)	12729	Sewage Treatment Plant	CTE	Non SPI	NA	Application for extension of CTE has been applied for 20 MGD STP. Earlier CTE was valid till 16.06.2015. The STP is not meeting with the prescribed standards as per the reports submitted by DJB for the parameter of TSS.	Application for CTO is yet to be submitted for this STP.		Inspection to be carried out and a letter be issued for submission of application for CTO.
Ghitorni STP (5MGD)	5 MGD STP Ghitorni	07.04.2016	14207	Sewage Treatment Plant	CTE	Non SPI	NA	The 5 MGD STP was constructed in the year 1997, but due to unavailability of sewage it could not be commissioned. Now DJB has informed that sewage is expected, therefore the plant has been rehabilitated to treat the sewage.			Letter be issued for submission of action plan for achievement of standards of TSS and BOD of 10mg/l

*DMA*  
12.5.16

(For Special Member Govt. Environment Dept. (DPCC) 12.5.16)


*SEE*


*(m. Siddiqui)*

*(SANJAY VAS77)*  
SS


Agenda 4- Cases of Hazardous Waste : 27th Consent Committee Meeting(Orange) held on 10.05.2016


S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Activity / Product	Consent Status [CTE/CTO/CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Fresh)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
1	Bharat Oil & Waste Management Ltd	Village-Kumbhi, Tehsil-Akbarpur, District-Kanpur-Dehat, Uttar Pradesh	24.12.2014	9754	Collection & transportation of Incinerable Hazardous Waste at its Kanpur(UP), TSD F site	Not Applicable	Non-SPI	Fresh	Unit has applied for Autorisation under HWM Rules, 2008 for Collection & Transportation of Incinerable Hazardous wastes generated in NCT of Delhi and treatment at its TSDF site at Kanpur(U.P.) .The unit is having its TSDF facility at Kumbhi,Akbarpur, Kanpur,Uttar Pradesh. UP Pollution Control Board has granted permission on 04.03.2014 for inter-state transportation of incinerable waste from 06 states viz.Punjab,Delhi,Rajashtan,H.P., Haryana & Bihar.	NA	As decided in 26th CMC meeting a letter has been issued to M/s Bharat & Waste Management Ltd and reply has been received on 22.04.2016. In reply they have stated that UPPCB had provided subsidized land & subsidy to them and have not fixed any prices.	Call for personal hearing along with written submissions regarding Collection & Transportation of Incinerable Hazardous wastes generated in NCT of Delhi and treatment at its TSDF site at Kanpur(U.P.) and the rates being charged.
2	Ramky Enviro Engineers Ltd,N-1,Sector-5,	Village-Kumbhi, Tehsil-Akbarpur, District-Kanpur-Dehat, Uttar Pradesh	23.01.2015	9967	Collection & transportation of Incinerable Hazardous Waste	Not Applicable	Non-SPI	Fresh	Unit has applied for Autorisation under HWM Rules, 2008 for Collection & Transportation of Incinerable Hazardous wastes generated in NCT of Delhi and treatment at its TSDF site at Kanpur(UP) .The unit is having its TSDF facility at Kumbhi,Akbarpur, Kanpur,Uttar Pradesh. UP Pollution Control Board has granted permission on 06.03.2013 for inter-state transportation of Incinerable Waste from 06 states viz.Punjab,Uttarakhand,Delhi,Rajashtan, HP & Haryana .	NA	As decided in 26th CMC meeting a letter has been issued to M/s Ramky Enviro Engineers Ltd. and reply is still awaited.	Call for personal hearing along with written submissions regarding Collection & Transportation of Incinerable Hazardous wastes generated in NCT of Delhi and treatment at its TSDF site at Kanpur(U.P.) and the rates being charged.

  
 (Kulwant Singh)  
 Special Secretary (Environment),  
 Member, Consent Committee (DPCC)  
 Govt. of Uttar Pradesh

  
 S.E.E.


  
 Anil Kumar

  
 Capt. Siddiqui


  
 (SANJAY VASTHI)  
 S.E.


Agenda 5 Cases of Power Plants: 27th Consent Committee Meeting(Orange) held on 10.05.2016


S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Activity / Product	Consent Status [CTE/ CTO/ CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
1	Badarpur Thermal Power Station	Badarpur, Delhi	CTO valid up to 31.01.2018.	10538 (HW Application)	Thermal Power Plant (Coal Based Power Plant)	CTO valid up to 31.01.2018.		Applied for renewal of Authorization under HWM Rules. Last authorization was valid upto 5.9.2015	Having a valid consent. Authorization under HWM Rules is to be decided.			Ask the unit to submit an action plan for utilisation of Fly Ash (back log) within 15 days along with annual returns of Fly Ash/ Hazardous Waste.
2	Rajghat Thermal Power Station (I.P. Power Generation Co. Ltd.)	Ring Road	15.04.2015 (Orange/Renewal) with fee for one year.	10544	Thermal Power Plant (Coal Based Power Plant)	CTO valid up to 16.04.2015.		Applied for renewal of Authorization under HWM Rules. Last authorization was valid upto 18.10.2015	Presently Plant is closed. Authorization under HWM Rules is to be decided.			Ask the unit to submit annual returns of Fly Ash/ Hazardous Waste within 15 days. Inspection to be carried out.
3	I.P. Gas Turbine Power Station	I.P Estate, Ring Road	CTO Valid up to 06.11.2018	12066	Gas Based Power Plant	CTO Valid up to 06.11.2018	Non-SPI	Applied for renewal of Authorization under HWM Rules.	Having a valid consent. Authorization under HWM Rules is to be decided.			Inspection to be carried out.
4	Pragati Power Station 330 MW	IP Estate ring Road	CTO Valid up to 28.11.2018	12053 (HW Application)	Gas Based Power Plant	CTO Valid up to 28.11.2018	Non-SPI	Applied for renewal of Authorization under HWM Rules.	Having a valid consent. Authorization under HWM Rules is to be decided.			Inspection to be carried out.

  
 Jitendra Kumar  
 Joint Secretary (Environment)  
 Joint Secretary (DP/ C)  
 Govt. of NCT of Delhi

*Handwritten signature*

  
 (for Sandeep)

  
 SEE

  
 (SANDIP VATHI)  
 SE

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Activity / Product	Consent Status [CTE/ CTO/ CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision on dated 10.05.2016
5	Tata Power Delhi Distribution Limited	Sector-11, Rohini, Delhi	CTO Valid up to 24.11.2015	12342	Gas Based Power Plant	CTO(R)	Non-SPI	Applied for renewal of Consent to Operate	Plant is presently Closed due to shortage of gas. Unit has requested for renewal of CTO for 1 year only and submitted fees accordingly.			Inspection to be carried out.

*Doc*

12.5.16

(Manoj Kumar Jaiswal)  
 Special Secretary (Environment)  
 Member Secretary (DFCC)  
 Govt. of NCT of Delhi

*As per*

*[Signature]*

*[Signature]*  
 SEE-WM-11

*[Signature]*  
 (SANDAY VARTI)  
 CS

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Activity / Product	Consent Status [CTE/CTO/]	Category (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for)	Decision on dated 10.05.2016
1	50 MGD Water Treatment Plant, Dwarka, New Delhi-110075	Dwarka, New Delhi-110075	CTE-17.12.2015	51879	Water Treatment Plant-50 MGD	CTE	Non-SPI	Fresh Case	Fresh Case. DJB intends to have a 50 MGD Water Treatment Plant at Dwarka. Proposed date of completion of construction was shown as 16.12.2016. As per the application filed, there will be no trade effluent discharge.			Inspection to be carried out.

*Do*

12-5-16

(**Prakash Joshi**)  
 Special Secretary (Environment)  
 Member Secretary (DPCC)  
 Govt. of NCT of Delhi

*Anurag*

*H*

*SEE-WMC-I*

*(SANTANU VARTI)*  
 S.E.