



DELHI POLLUTION CONTROL COMMITTEE

DEPARTMENT OF ENVIRONMENT, GOVT. OF NCT OF DELHI
4TH - 6TH FLOOR, ISBT BUILDING KASHMERE GATE, DELHI - 110 006.

F.No. DPCC/04/CT/Misc./290-94

Dated: 8/6/15

OFFICE ORDER

The competent authority has ordered that in view of difficulties expressed by the incharge of CMC-IV branch to function from Vikas Bhavan-II and while it may not be administratively expedient to allow functioning of half of the CMC-IV branch at Vikas Bhavan-II and half at ISBT, the previous order No. DPCC/5(1)4/CT/2007/130-34 dated 23.04.2015 in this regard shall be treated as cancelled.

Further, the competent authority has ordered that entire WMC-I & WMC-III branch alongwith its officers and officials shall temporarily have their seating arrangement at Vikas Bhavan-II, 2nd Floor, Upper Bela Road, Civil Lines, Delhi-110054 till the renovation work being carried out by DTIDC at 4th Floor, ISBT Building is completed.

A compliance report in this regard shall be submitted to Member Secretary latest by 10.06.2015 without fail.

This issues with the approval of Hon'ble Chairman, DPCC vide UO No. Ch/914 dated 02.06.2015.

(H. S. Choudhary)
Administrative officer

Copy to:-

1. PS to Chairman, DPCC for kind information of Chairman, DPCC.
2. PA to MS, DPCC for kind information of MS, DPCC.
3. All Branch incharges.
4. Incharges IT Cell for publication on official website.
5. Officer(s) concerned.