




DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/Committee II(b) Category/3rd Meeting /2017/627-31 Dated: 26-7-17

Subject: Minutes of the 3rd Meeting of the Committee for II(b) Category Cases constituted vide Office Order Dated 31.05.2017 & headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization/Registration under the relevant Rules, held on 21.07.2017 in the conference room of DPCC at 5th Floor, ISBT Building, Kashmere Gate, Delhi-06.

Please find enclosed herewith the Minutes of the **3rd Meeting** of the aforementioned Committee, held on 06.07.2017, in the conference room of DPCC at 5th Floor, ISBT Building, Kashmere Gate, Delhi-06.

Concerned Cells are required to take necessary action as per the decisions taken by the Committee.



(D.K. Singh)

Sr. Env. Engineer (CDC)
Consent Management Cell- II

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

1. PS to Chairman, DPCC, for kind information of Chairman, DPCC please.
2. In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC.


(D.K. Singh)

Sr. Env. Engineer (CDC)
Consent Management Cell- II

Minutes of the 3rd Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017) headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016, **held on 21.07.2017, in the conference room of DPCC at 5th Floor, ISBT Building, Kashmere Gate, Delhi-06.**

As per Office Order Dated 31.05.2017, Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 of the cases falling under Category II(b) [activities / process other than those falling under clause II(a) of the said order] are to be decided by the Committee headed by Member Secretary, DPCC and consisting of all SEEs & EEs of the concerned Cell.

Attendance Sheet is enclosed as Annexure "A".

Following are the Minutes of the Meetings:-

Agenda Item No 1: Fresh Cases of the period 06.07.2017 to 20.07.2017.

Decisions were taken online in individual cases and list of 13 no. of units (Cases of Consent to Establish and Consent to Operate / Renewal) including decisions taken in these cases are at Annexure I.

The Committee could take up the cases upto 10.07.2017 and decided to take up the remaining cases in the next meeting.

In case of Hotels/Guest Houses/Restaurants of Paharganj and Karol Bagh areas, the Committee decided to take up all cases of Hotels/Guest Houses/Restaurants of Paharganj and Karol Bagh areas in a separate meeting to have uniform decision in such cases.

Agenda Item No 2: Pending cases of the period 01.04.2016 to 05.07.2017

This agenda could not be taken up by the Committee and it was decided to take up this agenda in the next meeting.













Since decisions were taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on this list (**Annexure I**). The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.















Handwritten signatures of committee members at the bottom of the page. The signatures are in blue ink and include names such as 'Smita', 'Raj', 'Smita', 'Raj', and 'Smita'.

If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.

The meeting ended with a vote of thanks to the Chair.

 (S.M. Ali) Member Secretary, DPCC	 (D.K. Singh) SEE, CMC-II	 (M. Arif) SEE, CMC-V	 (B.L. Chawla) SEE, CMC-I
 (D.K. Srivastava) EE, CMC-III	 (M.S. Rawat) EE, CMC-V	 (Sanjay Vatts) EE, CMC-II	 (Surender Singh) EE, CMC-V
 (Shyam Sunder) EE, CMC-I	 (Ramesh Chandra) EE, CMC-II	 (Amit Chaudhary) EE, CMC-III	 (K. Kumar) EE, CMC-IV

Attendance Sheet for 3rd Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017) headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 held on 21.07.2017 in the Conference Room of DPCC at ISBT Building, Kashmere Gate, Delhi.

S.No.	Name	Designation	Signature
1.	Sh. S. M. Ali	Member Secretary, DPCC	
2.	Sh. D.K. Singh	SEE(CDC)(CMC II), DPCC	
3.	Sh. M. Arif	SEE(CDC) (CMC III), DPCC	
4.	Sh. P. S. Pankaj	EE, Incharge CMC IV, DPCC	On Training
5.	Sh. B. L. Chawla	SEE(CDC)(CMC I),DPCC	
6.	Sh. Satender Kumar	SEE(CDC) (CMC V), DPCC	- on Leave -
7.	Sh. D. K. Srivastava	EE(CDC) (CMC III), DPCC	
8.	Sh. M. S. Rawat	EE(CDC) (CMC V), DPCC	
9.	Sh. Sanjay Vatts	EE(CDC) (CMC II), DPCC	
10.	Sh. Surender Singh	EE(CDC) (CMC V), DPCC	
11.	Sh. Shyam Sunder	EE(CDC) (CMC I), DPCC	
12.	Sh. Ramesh Chandra	EE(CDC) (CMC II), DPCC	
13.	Sh. Amit Chaudhary	EE(CDC) (CMC III), DPCC	
14.	Sh. Sunil Kumar	EE(CDC) (CMC IV), DPCC	On Leave
15.	Sh. K. Kumar	EE(CDC) (CMC IV), DPCC	



DELHI POLLUTION CONTROL COMMITTEE
(Government of N.C.T. of Delhi)
4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006
Website : <http://www.dpcc.delhigovt.nic.in>

CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 3rd meeting on 21.07.2017 w.r.t. Agenda Item No 1 - 13
Fresh Consent to Establish and Consent to Operate / Renewal cases of the period 06.07.2017 to 20.07.2017 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No.	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decision
1	GRAPHIC PRINTERS	7/12-A, STREET NO. 7, ANAND PARBAT INDUSTRIAL AREA	06-07-2017		Printing without Trade Effluent Discharge Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 06-07-2017 Authorisation Status Pending	water consumption: 100 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		20-07-2017	21-07-2017 Inspection be conducted.
2	FRONTIER BISCUITS FACTORY PVT. LTD.	C-35/10, LAWRENCE ROAD, INDUSTRIAL AREA	06-07-2017		MANUFACTURING OF BISCUITS. Food and Fruit Processing Industry Bakery Biscuit Production	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- Yes (2)ECS - N/A (3)D.G.Set Noise Report : Nil (4)Status of Ground Water extraction : Nil (5) Source of Water: 650 L per day, Source-DJB (6) Status of Inspection : No (7)SCN u/s 31(A)/33(A)/5 of EPA details : No (8)Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Effluent analysis report dated 29-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 14-06-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	21-07-2017 Hard copy not submitted. However, uploaded documents are proper.	21-07-2017 Ask the unit to submit hard copy of Consent to Operate application with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Operate be issued.
3	MILLION DOLLAR (A)	G-51,GF, KRISHNA APRA	06-07-2017		EATING HOUSE 48 SEATS	Orange Establish	Non-SPI		ECS: N/A ETP: OGT of capacity 6		20-07-2017	21-07-2017

UNIT OF PARAM HOSPITALITY)	BUSINESS SQUARE,NETAJI SUBHASH PLACE,PITAMPURA			Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				KLD D.G.Set: Nil Source of water supply: 3.5 KLD from other source of water. hard copy of Consent application is not submitted by the unit. Dimensions of OGT not uploaded. Uploaded proof of possession is incomplete. MCD license is not uploaded by the unit. Proof of Date of Commencement of Production not uploaded. Effluent Analysis is not uploaded by the unit.		Ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days.
4	ORIENT TYRE SERVICE	5/31, KIRTI NAGAR INDUSTRIAL AREA	06-07-2017	JOB WORK IN TYRE RE-TREADING OF OLD TYRE WITHOUT BOILER. Tyre Retreading (without Boiler)	Green Operate	Non-SPI				11-07-2017 Consent to operate may be approved . 21-07-2017 Consent to Establish granted. Also inspection be conducted.
5	ESS KAY ENTERPRISES	H-8, DSIIDC INDUSTRIAL COMPLEX, NANGLOI	06-07-2017	MANUFACTURING OF PRINTING LAMINATION, SLITTING AND POUCHING. Printing without Trade Effluent Discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Establish	Non-SPI	Water consumption: 150 litre/day Status of Pollution Control System 1)ETP - N/A 2)ECS - N/A 3)D.G.Set Noise Report : N/A Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		20-07-2017 -Consent to establish may be granted after submission of the hard copy along with all requisite documents of the consent application. 21-07-2017 Please check the consent application and submitted documents w.r.t. Plastic Rules etc. and seek hard copy of Consent to Establish application with requisite documents within 15 days.	
6	INVITEE BANQUETS	A-9, KIRTI NAGAR	07-07-2017	Banquet Hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments	Orange Establish	Non-SPI	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil		19-07-2017 Consent to Establish may be approved. 21-07-2017 Consent to Establish granted with the condition that unit shall apply for consent to operate along with requisite documents within 30 days however Consent to Establish be issued after submission of photographs and details(size/dimensions) of ETP as per latest RESDC policy.	

				(with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
7	HOME (AT THE RATE) F37 (A UNIT OF RAM RESORTS & INDUSTRIES (P) LTD.	F-37, EAST OF KAILASH	07-07-2017	Guest House. Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1)Oil & Grease Trap - Installed (2)ECS - N/A (3)D.G.Set : 62.5 KVA The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 06-07-2017 issued by DPCC submitted, Noise monitoring report within Limit - Yes. Number of parameters analyzed which are within limit . Status of Ground Water extraction : NIL Water Consumption : 7500 ltr/day (Source - DJB) (Bill enclosed) Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL	Noise monitoring report dated 06-07-2017 issued by DPCC submitted, Noise monitoring report within Limit - Yes. Number of parameters analyzed which are within limit.	20-07-2017 Unit has not informed regarding size/details of Oil & Grease trap cum settling tank.	21-07-2017 Inspection be conducted.
8	BHARAT ADHESIVES	36-A, PH-II, MAYAPURI INDUSTRIAL AREA	07-07-2017	Manufacturing Industrial Adhesives. Manufacturing of Synthetic Adhesive without Heating	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 27-09-2004 Authorisation Status Pending HWM Application No. 2	Source of water: DJB (Category-II) water consumption: 250 litre/day Status of Ground Water extraction :150 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 30 KVA	Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 30 KVA, Noise monitoring report dated 23-06-2017 issued by DPCC submitted, Noise monitoring report within Limit - Yes	20-07-2017	21-07-2017 Inspection be conducted.

DPCC : Administrative Area

							<p>Application Date 27-09-2012</p> <p>Authorisation Status Approved</p> <p>Authorisation Issue Date 17-12-2012</p> <p>Authorisation Expiry Date 26-09-2017</p> <p>HWM Application No. 3</p> <p>Application Date 15-07-2017</p> <p>Authorisation Status Pending</p>	<p>Status of Inspection :No</p> <p>SCN u/s 31(A)/33(A)/5 of EPA details :No</p> <p>Closure directions u/s 31(A)/33(A)/5 of EPA details :No</p>			
9	SHAKUN PRINTERS	241, F.I.E. PATPARGANJ INDUSTRIAL AREA	07-07-2017	Offset Printing with Plate Making, Washing and Book Binding Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	<p>HWM Application No. 1</p> <p>Application Date 15-09-2004</p> <p>Authorisation Status Approved</p> <p>Authorisation Issue Date 26-10-2004</p> <p>Authorisation Expiry Date 25-10-2006</p> <p>HWM Application No. 2</p> <p>Application Date 22-09-2006</p> <p>Authorisation Status Pending</p> <p>HWM Application No. 3</p> <p>Application Date 23-08-2011</p> <p>Authorisation Status Approved</p>	<p>1. ETP - Yes, having design capacity 500 Liters/Day.</p> <p>2. Oil and Grease Trap - No.</p> <p>3. ECS - No.</p> <p>4. D.G Set - No.</p> <p>4. Source of Water Supply - 300 Liters/Day (Purchase Water).</p> <p>5. Domestic effluent discharged -150 Liters/Day which is disposed through Disposal Sewer.</p> <p>6. Industrial effluent discharged -100 Liters/Day which is disposed through Disposal Sewer.</p> <p>- Show Cause Notice u/s 33 (A) Of Water Act, u/s 5 of EPA Act and refusal of consent was issued to the unit on 03.02.2017 in view of the deficiencies observed during the inspection conducted on 08.12.2016.</p> <p>- The reply of the unit was received on 21.02.2017 informing that the installation of ETP is in process.</p> <p>- Direction for Closure u/s 5 of EPA Act and 33 (A) of Water Act and Refusal of Consent was issued to the unit on 16.06.2017.</p>	N/A	20-07-2017 Recommended to issue Show cause Notice	21-07-2017 Consent to Operate granted. Issue letter for the deficiencies observed during inspection for storage of hazardous waste. If unit rectifies the deficiencies, file to be put up administratively.

DPCC : Administrative Area

							<p>Authorisation Issue Date 29-08-2012</p> <p>Authorisation Expiry Date 22-08-2016</p> <p>HWM Application No. 4</p> <p>Application Date 24-06-2017</p> <p>Authorisation Status Pending</p>	<p>-As per the decision taken in the meeting headed by MS, DPCC held on 06.07.2017, an inspection of the unit is conducted on 19.07.2017 and following are the observations:</p> <ol style="list-style-type: none"> 1. The unit was found operative. 2. The plate making process has been shifted in front back of the building at ground floor. Previously the setup was at first floor. 3. ETP consists of collection tank cum equalization tank, reaction cum settling tank followed by treated water collection tank. Therefore, carbon filter. 4. Treated water being discharged into public drain. 5. Offset printing is being carried out in basement and in first floor. 6. Closure direction not issued to the unit on 16.06.2017 u/s 33(A) of water act and u/s 5 of EPA act. 6. HW room storage room found made in a washroom. 3 plastic drums with lid(50L) being used for storage of HW. Other HW (i.e) cotton rage found in plastic gunny bags which are seived but no label found displayed as per rule. 				
10	YAAIRI	B-159, PHASE-I, OKHLA INDUSTRIAL AREA	07-07-2017	MFG OF READYMADE GARMENTS WITH WASHING. Readymade Garment (with Washing) with Boiler	Orange Renewal	Non-SPI	<p>HWM Application No. 1</p> <p>Application Date 11-06-2008</p> <p>Authorisation Status Pending</p>	<p>Status of Pollution Control System</p> <p>(1)ETP - N/A Effluent analysis report dated 18-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes. number of parameters analyzed which are within limit .</p> <p>(2)ECS - N/A Stack monitoring report dated 12-06-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes. number of parameters analyzed which are within limit / beyond prescribed limit.</p> <p>(3)D.G.Set: 125 KVA.</p>	<p>Effluent analysis report dated 18-05-2017 issued by DPCC submitted. number of parameters analyzed which are within limit .</p> <p>Stack monitoring report dated 12-06-2017 issued by DPCC submitted. number of parameters analyzed which are within limit.</p> <p>Noise monitoring report dated 23-05-2017 issued by DPCC submitted. number of parameters analyzed which are within limit.</p>	20-07-2017	21-07-2017	
												Consent to Operate(Renewal) granted. Authorization application dated 11.06.2008 be made infructuous.

								<p>The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 23-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes, number of parameters analyzed which are within limit.</p> <p>Status of Ground Water extraction : NIL Water consumption: 3000 ltr/ day (Source-DJB) (Bill enclosed)</p> <p>Status of Inspection : NIL</p> <p>SCN u/s 31(A)/33(A)/5 of EPA details : NIL</p> <p>Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL</p>			
11	SAPNA FOODS	C-7/3, LAWRENCE ROAD INDUSTRIAL AREA	08-07-2017	<p>Manufacturing of Confectionery Itmes (Candy and Toffees)</p> <p>Confectionery without Trade Effluent and having electric oven with boiler</p> <p>Confectionery without Trade Effluent and having electric oven with oil fired furnace</p>	Orange Establish	Non-SPI		<p>Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: -1 of 125 KVA with Acoustic enclosure Status of Ground Water extraction : 500 L/Day Source of Water: 500 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A</p>	Noise Monitoring Report - applied	<p>21-07-2017 Unit has applied for Consent to Operate (Renewal) on 08-09-2015 and inspection was done on 29-06-2017 to know the status of trade effluent. Trade effluent was not found during inspection, however one boiler was found (which was not mentioned in applied consent application). Unit has again applied for Consent to Establish on 08-07-2017 with boiler details and requesting to null and void its earlier CTR application dated 08-09-2015. Unit has One D.G set which is not mentioned in recent application form, however it is mentioned in undertaking.</p>	<p>21-07-2017 Consent to Establish granted with the condition that unit shall apply for Consent to Operate within 30 days. Consent to Operate(Renewal) dated 08.09.2015 be made infructuous.</p>
12	SAIVANA EXPORT PRIVATE LIMITED	B-125, OKHLA INDUSTRIAL AREA, PHASE - 1,	10-07-2017	<p>READYMADE GARMENT WITH WASHING</p>	Orange Operate	Non-SPI		<p>Status of Pollution Control System (1)ETP -</p>		<p>20-07-2017 Hard copy of consent application along</p>	<p>21-07-2017 Hard copy of consent application along with required Document</p>

				Readymade Garment with Electric/ Gas fired boiler (with Washing)				(2)ECS - N/A (3)D.G.Set : 200 KVA The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 17-01-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Water consumption: 5000 ltr/day (Domestic -500 ltr/day & Washing-4500 ltr/day) (Source : DJB) Status of Ground Water extraction :NIL Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL		with all required Document yet to be received.	submitted. Consent to Operate granted. Subsequently, inspection be conducted.
13	PURATAN RESTAURANT	SHOP NO 202 & 301, (2ND FLOOR & 3RD FLOOR), PLOT NO 4, GARG TRADE CENTRE, SECTOR-11, ROHINI	10-07-2017	RESTAURANT SERVICES Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPJ		ECS: N/A ETP: (Biological type) capacity 5 KLD along with OGT (capacity 5 KLD) D.G.Set: 1 of 75 KVA capacity with Acoustic Enclosure Source of water supply: 3.5 KLD from other source of water Earlier, Consent to Operate was granted to the unit for the activity of Restaurant Services which expired on 17.05.2014.	Effluent analysis report issued by DPCC dated 06-07-2017 submitted and parameters are within prescribed limit. Noise monitoring report issued by DPCC Lab dated 04-07-2017 submitted parameters are within prescribed limit.	20-07-2017	21-07-2017 Consent to Operate(Renewal) granted however bc issued after submission of photographs and details(size/dimensions) of ETP as per latest RESDC policy.