



DELHI POLLUTION CONTROL COMMITTEE

4TH FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-6

F.No. DPCC/(3)(07)(2)/Admn-06/

1107-1110

Dated: 18.06.2015

Office Order

For smooth functioning of DPCC, in partial modification of the office Order of even number dated 06.03.2012, the para 9 and 10 of the said office order are hereby amended and para 11 is inserted as follows:

1. The prevailing practice of revoking the closure directions on the furnishing the affidavit and the bank guarantees under Water Act or/and Air Act or/and Hazardous Rules shall be discontinued forthwith. Defaulting units shall first be made to comply with pollution control norms and then only revocation direction be issued. Once required pollution control equipment are installed or a firm undertaking for time bound installation of pollution control equipments/rectification of deficiencies is submitted, temporary conditional revocation for a period of only 45 days may be issued for the purpose of installation/ testing equipments. No commercial production shall be allowed during this period. The final revocation direction shall be issued only after the submission of satisfactory adequacy Reports/test report.

The Temporary revocation shall be issued subject to following terms;


- (i) The units whose activity are not covered under SPI/GPI, they have to file surety bond of Rs. 2 Lacs for the small units, whose total investment is less than Rs. 50 lacs and Rs. 5 Lacs for the units whose total investment is more than Rs. 50 lacs.
- (ii) The units whose activity are covered under SPI/GPI, they have to file surety bond of Rs. 5 Lacs for the small units, whose total investment is less than Rs. 50 lacs and Rs. 10 Lacs for the units whose total investment is more than Rs. 50 lacs.
- (iii) In case of Clubs/restaurants/Hotel etc. following surety bond is applicable;
- Area for unit operation upto 1000 SQM- Rs. 1 lakhs
 - Area for unit operation more than 1000 SQM but upto 1 acre - Rs. 10 lakhs
 - Area for unit operation more than 1 acre - Rs. 20 lakhs
- This is not applicable for star category Hotels.
- (iv) In case of Star category Hotels, following surety bond is applicable;
- 2 star Hotel - Rs. 10 lakhs
 - 3 & 4 star Hotel - Rs. 20 lakhs
 - 5 star Hotel - Rs. 30 lakhs

On the time of issuance of revocation of direction unit has to file undertaking giving the details of electric connection number with meter reading on the date of undertaking/ details of water supply connection number with meter reading on the date of undertaking as well as undertaking with the effect that they will not use DG sets and borewells for commercial use.

10. In case of extreme exceptional urgencies or in public interest temporary revocation direction may be considered for a unit on submission of a bank guarantee for an amount 10 times the annual fee for consent to operate subject to minimum of Rs. 5 lacs as a deterrent. Such temporary revocation shall for a period of 3 months only. The final revocation direction shall however be issued only after the submission of satisfactory Adequacy Report/ test report. This para is not applicable for the industries, whose activity falls under the list of SPI/GPI.


11. DPCC will place the list of units to whom closure direction was issued on the website and this list will be updated on weekly basis without fail.

This issues as per decision of the DPCC Board meeting held on 16.06.2015.


(Kulanand Joshi)
Member Secretary

Copy to:

1. Chairman, DPCC.
2. All SEE/EE/
3. Administrative Officer/ Accounts Officer, DPCC.


(Kulanand Joshi)
Member Secretary

On Rs. 100 Non Judicial Stamp Paper

SECURITY BOND

IS/o.....R/o..... running a unit under the name and style M/s at as its sole proprietor/partner/director, do hereby execute a Security Bond in favour of Delhi Pollution Control Committee for a sum of Rs. 5,00,000/- (Rupees Five Lakhs Only) on the terms and conditions as set out hereinafter.

Whereas DPCC has issued closure direction to my unit as named above for not having consent to operate/ required pollution control device on _____.

And Whereas my unit as named above has requested for revocation of the closure direction of DPCC dated ____, on _____.

And Whereas as per the office order of DPCC dated 18.06.2015 in pursuance of the DPCC Board decision dated 16.06.2015 each unit is required to submit a Security Bond to the DPCC for complying with the all pollution control norms.

Now in view of the said Office Order dated 18.06.2015 passed by the DPCC, the undersigned is furnishing the present Security Bond for complying with the said directions/conditions.

I, the undersigned unequivocally undertake to abide by the all pollution control norms as are applicable to my unit.

I further undertake that in case the undersigned violates any of the directions passed by the DPCC as stated above, I undertake to pay to the Delhi Pollution Control Committee a sum of Rs. 5,00,000/- (Rupees Five Lakhs Only) without demur and default.

I further undertake that the present security bond shall remain valid for a period of one year from the date of its execution.

IN WITNESS WHEREOF, the undersigned has put his hands on this Bond on this ___th day of _____, 2015 in the presence of following witnesses.

()
EXECUTANT WITH RUBBER STAMP

WITNESSES:-

- 1.
- 2.