

568

|   |   |
|---|---|
|  | <b>DELHI POLLUTION CONTROL COMMITTEE</b><br><b>DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT OF DELHI)</b><br><b>4<sup>th</sup>, 5<sup>th</sup> &amp; 6<sup>th</sup> FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-6</b><br>visit us at : <a href="http://dpcc.delhigovt.nic.in">http://dpcc.delhigovt.nic.in</a> |
|---|---|

F.No .DPCC/CMC-III/ 1163

Dated: 23-7-15

To,

The DCP (North West)  
Office of Deputy Commissioner of Police,  
Ashok Vihar, Delhi-110052.

**Subject: Directions u/s 33(A) of the Water (Prevention & Control of Pollution) Act, 1974 u/s 31 (A) of the Air (Prevention & Control of Pollution) ACT, 1981 u/s 5 of Environmental (Prevention & Control of Pollution) Act, 1986, as amended to date issued to stainless steel pickling units of Wazirpur Industrial Area.**

Sir,

This refers to the directions u/s 33(A) of the Water (Prevention & Control of Pollution) Act, 1974, as amended to date and u/s 31 (A) of the Air (Prevention & Control of Pollution) ACT, 1981 issued to 113 Stainless Steel Pickling units of Wazirpur Industrial Area by DPCC with a direction to the concerned SDM for ensuring effective closure of the concerned units. The aforesaid directions have been issued in view of gross violation of pollution control laws by these units, additionally, the notices have been issued to 4 such units. The Directions /notices have been issued to all 117 stainless steel pickling units as per record of DPCC (list enclosed) and as such any other Pickling unit if operational in the area is illegal and required to be shut down.

It is therefore requested that a vigil may please be kept on the Wazirpur Industrial Area through local police to ensure that illegal stainless steel pickling units (any unit other than 117 units) which have not obtained consent to operate from DPCC, do not operate in the area and cause pollution.

Yours faithfully,



(Kulanand Joshi)  
Member Secretary

Enclosure: As above.

9c

